

### Table of Contents


#### WALL SHELVING



Heavy Duty Powder Coated .....2



Super Duty Anochrome .....3  
 White Powder Coated .....4  
 Stainless Steel .....5



Accessories .....6

# WALL SHELVING

## Wall Shelving – KV82 Series Heavy Duty, Powder Coated



15335

**Nominal Depths Available:**

13D: 11 7/8" Deep Shelves on 10 1/2" Brackets

15D: 14 1/2" Deep Shelves on 12 1/2" Brackets

17D: 15 3/4" Deep Shelves on 14 1/2" Brackets

21D: 20 3/8" Deep Shelves on 18 1/2" Brackets

Widths and Heights Available in 1" Increments

Widths and Heights determine  
Bracket/Upright quantities required

	18-48W	49-78W	79-96W
17H			
28H			
39H 48H			
63H			
78H 94H			

### FEATURES

- Heavy duty 14-gauge powder coated uprights and 16-gauge brackets
- Edgebanding on all edges
- Load rating up to 450 lbs./pair
- Uprights and brackets available in Black, White and Grey and are associated with accent color from the spec group.
- Brackets vertically adjustable in 1/4" increments
- Widths (W) indicate nominal assembly widths
- Heights (H) indicate vertical length of uprights
- Depths (D) include uprights
- Selected Casework Series defines shelving material, core and thickness.



# WALL SHELVING

## Wall Shelving – KV87 Series Super Duty, Anochrome Finish

15365

**Nominal Depths Available:**

- 10D: 8 1/8" Deep Shelves on 8" Brackets
- 12D: 10 3/4" Deep Shelves on 10" Brackets
- 16D: 14 1/2" Deep Shelves on 14" Brackets
- 20D: 19 1/8" Deep Shelves on 18" Brackets
- 22D: 20 3/8" Deep Shelves on 20" Brackets
- 24D: 22 7/8" Deep Shelves on 22" Brackets

Widths and Heights determine  
Bracket/Upright quantities required

**Widths and Heights Available in 1" Increments**

	18-48W	49-78W	79-96W
24H			
36H			
48H			
60H			
72H			
84H			
96H			

**FEATURES**

- Super duty 12-gauge anochrome finish uprights and brackets
- Edgebanding on all edges
- Load rating up to 1,060lbs./pair
- Brackets vertically adjustable in 2" increments
- Cam lock lever attached to bracket allows for easy installation while securing bracket to upright
- Widths (W) indicate nominal assembly widths
- Heights (H) indicate vertical length of uprights
- Depths (D) include uprights
- Selected Casework Series defines shelving material, core and thickness.

# WALL SHELVING

## Wall Shelving – KV87 Series Super Duty, White Powder Coated



15385

**Nominal Depths Available:**

- 10D: 8 1/8" Deep Shelves on 8" Brackets
- 12D: 10 3/4" Deep Shelves on 10" Brackets
- 16D: 14 1/2" Deep Shelves on 14" Brackets
- 20D: 19 1/8" Deep Shelves on 18" Brackets
- 22D: 20 3/8" Deep Shelves on 20" Brackets
- 24D: 22 7/8" Deep Shelves on 22" Brackets

Widths and Heights determine  
Bracket/Upright quantities required

**Widths and Heights Available in 1" Increments**

	18-48W	49-78W	79-96W
24H			
36H			
48H			
60H			
72H			
84H			
96H			

### FEATURES

- Super duty 12-gauge white powder coated uprights and brackets
- Edgebanding on all edges
- Load rating up to 1,060lbs./pair
- Brackets vertically adjustable in 2" increments
- Cam lock lever attached to bracket allows for easy installation while securing bracket to upright
- Widths (W) indicate nominal assembly widths
- Heights (H) indicate vertical length of uprights
- Depths (D) include uprights
- Selected Casework Series defines shelving material, core and thickness.
















15405

**Nominal Depths Available:**

- 10D:** 8 1/8" Deep Shelves on 8" Brackets
- 12D:** 10 3/4" Deep Shelves on 10" Brackets
- 16D:** 14 1/2" Deep Shelves on 14" Brackets
- 20D:** 19 1/8" Deep Shelves on 18" Brackets

Widths and Heights determine  
Bracket/Upright quantities required

Widths and Heights Available in 1" Increments

	18-48W	49-78W	79-96W
24H			
36H			
48H			
60H			
72H			

**FEATURES**

- Super duty 14-gauge stainless steel uprights and brackets
- Edgebanding on all edges
- Load rating up to 1,060lbs./pair
- Brackets vertically adjustable in 2" increments
- Cam lock lever attached to bracket allows for easy installation while securing bracket to upright
- Widths (W) indicate nominal assembly widths
- Heights (H) indicate vertical length of uprights
- Depths (D) include uprights
- Selected Casework Series defines shelving material, core and thickness.

# WALL SHELVING

## Accessories



### KV82 Series

#### Heavy Duty Upright

**W:** 01  
**H:** 17,28,39,48,63,78,94  
**D:** 00

Powder Coated  
 14-Gauge Steel  
 Double Slot Design  
 Available in Black, White, Grey associated  
 with accent color from the spec group.

#### 15901



### KV87 Series

#### Super Duty Upright

**W:** 01  
**H:** 24,36,48,60,72,84,96  
**D:** 00

Anochrome Finish  
 12-Gauge Steel

**W:** 01  
**H:** 24,36,48,60,72,84,96  
**D:** 00

White Powder Coated  
 12-Gauge Steel

**W:** 01  
**H:** 24,36,48,60,72  
**D:** 00

Stainless Steel  
 14-Gauge

#### 15910



#### 15911



#### 15912



### Heavy Duty Bracket

**W:** 00  
**H:** 03  
**D:** 13,15,17,21

Powder Coated  
 16-Gauge Steel  
 Vertically Adjustable in 1/4" Increments  
 Double Lug Design  
 Available in Black, White, Grey associated  
 with accent color from the spec group.

#### 15905



### Super Duty Bracket

**W:** 00  
**H:** 04  
**D:** 10,12,16,20,22,24

Anochrome Finish  
 12-Gauge Steel  
 Vertically Adjustable in 2"  
 Increments  
 Cam Lock Lever


#### 15914



**W:** 00  
**H:** 04  
**D:** 10,12,16,20,22,24

White Powder Coated  
 12-Gauge Steel  
 Vertically Adjustable in 2"  
 Increments  
 Cam Lock Lever

#### 15915



**W:** 00  
**H:** 04  
**D:** 10,12,16,20

Stainless Steel  
 14-Gauge  
 Vertically Adjustable in 2"  
 Increments  
 Cam Lock Lever

#### 15916



### Center Rest

**W:** 01  
**H:** 00  
**D:** 01

Anochrome Finish  
 Use with Super Duty  
 Brackets to Anchor Shelf  
 to Bracket and/or Join  
 Two Shelves

#### 15920



Depths listed are Nominal Overall Assembly depths (Shelf depth plus depth of Uprights).  
 Actual Bracket depth is approx. 2" shallower.



# WALL SHELVING

Accessories