

BALL VALVES	2
SINGLE SERVICE FAUCETS	4
MIXING FAUCETS	5
PANEL MOUNT FAUCETS	8
COMBINATION FAUCETS	9
MISC FIXTURES	10
SERVICE FIXTURE COMPONENTS	11
KITCHEN/BAR FAUCETS	12
VANITY FAUCETS	14

REV. 06-16-25

©2023 STEVENS INDUSTRIES, INC.
ALL RIGHTS RESERVED.
Due to continuing product
development, Stevens reserves
the right to change specifications
without notice.

BALL VALVES

- Valve Bodies: Forged brass with polished chrome plated finish
- Valves: Chrome plated brass ball and molded PTFE seals
- Handles: Chrome plated forged brass
- Working pressure up to 75 PSI


See Components page for configuration options

GAS BALL VALVE - VERTICAL OR HORIZONTAL MOUNT

- Vertical or Horizontal Mount
- Double valve for laboratory gases
- Chrome plated forged lever handle
- Non-removable serrated hose end

52L4100-141-WSA-GAS

52L4100141WSG
Double Valve




GAS BALL VALVE - VERTICAL OR OVERHEAD MOUNT

- Vertical or Horizontal Mount
- Single valve for laboratory gases
- Chrome plated forged lever handle
- Serrated hose end

52L4100-158-WSA-GAS

52L4100158WSG
Single Valve




WATER BALL VALVE - OVERHEAD MOUNT

- Use with 35340 ART SINK KIT
- Vertical or Horizontal Mount
- Single valve for cold water
- Four-arm handle
- Removable serrated hose end

52L3100-131-WSA-CW

52L3100131WSAC
Single Valve



BALL VALVES




- Valve Bodies: Forged brass with polished chrome plated finish
- Valves: Chrome plated brass ball and molded PTFE seals
- Handles: Chrome plated forged brass
- Working pressure up to 75 PSI

See Components page for configuration options

GAS BALL VALVE - DECK MOUNT

- Deck mounted
- Single, double and quad valve options for laboratory gases
- Lever handle
- Non-removable serrated hose end





<p>52L4100-131-WSA-GAS 52L4100131WSG Single Valve</p> 	<p>52L4100-132A-WSA-GAS-90 52L4100132AWG Double Valve 90°</p> 	<p>52L4100-132S-WSA-GAS-180 52L4100132SWG Double Valve 180°</p> 	<p>52L4100-134-WSA-GAS 52L4100134WSG Quad Valve</p> 
--	--	--	--

**VANDAL RESISTANT
GAS BALL VALVE - DECK MOUNT**

- Vandal resistant
- Deck mounted
- Single, double and quad valve options for laboratory gases
- Lever handle
- Serrated hose end



<p>52VR4100-131-WSA-GAS 52V4100131WSG Vandal Resistant / Single Valve</p> 	<p>52VR4100-132A-WSA-GAS-90 52V4100132AWG Vandal Resistant / Double Valve 90°</p> 	<p>52VR4100-132S-WSA-GAS-180 52V4100132SWG Vandal Resistant / Double Valve 180°</p> 	<p>52VR4100-134-WSA-GAS 52V4100134WSG Vandal Resistant / Quad Valve</p> 
--	--	--	--

SINGLE SERVICE FAUCETS

- Faucet Bodies: Forged brass with polished chrome plated finish
- Valves: Self-contained renewable unit with replaceable stainless steel seat
- Handles: Chrome plated forged brass

See Components page for configuration options

SINGLE SERVICE FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for cold water
- 6" rigid gooseneck
- Integral vacuum breaker
- Aerator 52BO055 ships separately

52L611VB-6-55-CW-LH

52L611VB655CLH
Left Hand / Four-arm Handle

52L611VB-6-55-CW-180

52L611VB655C18
180° / Four-arm Handle

52L611VB-6-55-CW-RH

52L611VB655CRH
Right Hand / Four-arm Handle

52L611VB-6-55-BH-CW-LH

52L611VB655BCL
Left Hand / Blade Handle

52L611VB-6-55-BH-CW-180

52L611VB655B18
180° / Blade Handle

52L611VB-6-55-BH-CW-RH

52L611VB655BRH
Right Hand / Blade Handle

SINGLE SERVICE FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for cold water
- 6" rigid gooseneck
- Integral vacuum breaker
- Removable serrated hose end

52L611VB-6-CW-LH

52L611VB6CLH
Left Hand / Four-arm Handle

52L611VB-6-CW-180

52L611VB6C18
180° / Four-arm Handle

52L611VB-6-CW-RH

52L611VB6CRH
Right Hand / Four-arm Handle

52L611VB-6-BH-CW-LH

52L611VB6BCLH
Left Hand / Blade Handle

52L611VB-6-BH-CW-180

52L611VB6BC18
180° / Blade Handle

52L611VB-6-BH-CW-RH

52L611VB6BCRH
Right Hand / Blade Handle

VANDAL RESISTANT SINGLE SERVICE FAUCET - VACUUM BREAKER - DECK MOUNT

- Vandal resistant
- Deck mounted for cold water
- 6" rigid gooseneck
- Integral vacuum breaker
- Serrated hose end

52VR611VB-6-CW-LH

52VR611VB6CLH
Left Hand / Four-arm Handle

52VR611VB-6-CW-180

52VR611VB6C18
180° / Four-arm Handle

52VR611VB-6-CW-RH

52VR611VB6CRH
Right Hand / Four-arm Handle

52VR611VB-6-BH-CW-LH

52VR611VB6BCLH
Left Hand / Blade Handle

52VR611VB-6-BH-CW-180

52VR611VB6BC18
180° / Blade Handle

52VR611VB-6-BH-CW-RH

52VR611VB6BCRH
Right Hand / Blade Handle



MIXING FAUCETS

- Faucet Bodies: Forged brass with polished chrome plated finish
- Valves: Self-contained renewable unit with replaceable stainless steel seat
- Handles: Chrome plated forged brass

See Components page for configuration options

MIXING FAUCET - DECK MOUNT

- Deck mounted for hot and cold water
- 6" rigid/swing gooseneck
- Removable aerator

52L424-6-55-BH-MX

52L424655BMX
Blade Handle



MIXING FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for hot and cold water
- 6" rigid/swing gooseneck
- Integral vacuum breaker
- Aerator 52BO055 ships separately

52L414VB-6-55-MX

52L414VB655MX
Four-arm Handle

52L414VB-6-55-BH-MX

52L414VB655BMX
Blade Handle



MIXING FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for hot and cold water
- 6" rigid/swing gooseneck
- Integral vacuum breaker
- Removable serrated hose end

52L414VB-6-MX

52L414VB6MX
Four-arm Handle

52L414VB-6-BH-MX

52L414VB6BMX
Blade Handle



**VANDAL RESISTANT
MIXING FAUCET - VACUUM BREAKER - DECK MOUNT**

- Vandal resistant
- Deck mounted for hot and cold water
- 6" rigid gooseneck
- Integral vacuum breaker
- Serrated hose end

52VR411VB-6-MX

52V411VB6MX
Four-arm Handle

52VR411VB-6-BH-MX

52V411VB6BMX
Blade handle



MIXING FAUCETS

- Faucet bodies: Brass with polished chrome plated finish
- Valves: Self-contained renewable unit with replaceable stainless steel seat
- Handles: Chrome plated forged brass

See Components page for configuration options

MIXING FAUCET - DECK MOUNT

- Deck mounted for hot and cold water
- 9" convertible rigid/swing spout
- Removable aerator



52L409-9-55-MX

52L409955MX

Four-arm Handle

52L409-9-55-BH-MX

52L409955BMX

Blade Handle

MIXING FAUCETS

- Faucet bodies: Brass bar stock with chrome plated finish
- Valves: Self-contained renewable with replaceable stainless steel seat
- Handles: Chrome plated forged brass

See Components page for configuration options

MIXING FAUCET - DECK MOUNT

- Deck mounted for hot and cold water
- 6" convertible rigid/swing gooseneck
- 3-hole, 8" installation
- Removable aerator

52L2224-6-55-BH-MX

52L2224655BMX
Blade Handle



MIXING FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for hot and cold water
- 6" convertible rigid/swing gooseneck
- Integral vacuum breaker
- 3-hole, 8" installation
- Removable aerator

52L2224VB-6-55-BH-MX

52L2224VB655BMX
Blade Handle



MIXING FAUCET - VACUUM BREAKER - DECK MOUNT

- Deck mounted for hot and cold water
- 6" convertible rigid/swing gooseneck
- Integral vacuum breaker
- 3-hole, 8" installation
- Removable serrated hose end

52L2214VB-6-MX

52L2214VB6MX
Four-arm Handle

52L2214VB-6-BH-MX

52L2214VB6BMX
Blade Handle



PANEL MOUNT FAUCETS

- Faucet bodies: Brass with polished chrome plated finish
- Valves: Self-contained renewable unit with replaceable stainless steel seat
- Handles: Chrome plated forged brass

See Components page for configuration options

SINGLE SERVICE FAUCET - VACUUM BREAKER - PANEL MOUNT

- Panel mounted for cold water
- 6" convertible rigid/swing gooseneck
- Integral vacuum breaker
- Removable aerator

52L2714VB-WSA-6-55-CW-LH

52L2714VB655CL
Left Hand / Four-arm Handle

52L2714VB-WSA-6-55-BH-CW-LH

52L2714VB655BL
Left Hand / Blade Handle

52L2714VB-WSA-6-55-CW-RH

52L2714VB655CR
Right Hand / Four-arm Handle

52L2714VB-WSA-6-55-BH-CW-RH

52L2714VB655BR
Right Hand / Blade Handle



MIXING FAUCET - VACUUM BREAKER - PANEL MOUNT

- Panel mounted for hot and cold water
- 8" convertible rigid/swing gooseneck
- Integral vacuum breaker
- 2-hole, 6" installation
- Aerator 52BO055 ships separately

52L1714VB-WSA-8-55-MX

52L1714VB855MX
Four-arm Handle

52L1714VB-WSA-8-55-BH-MX

52L1714VB855BMX
Blade Handle



MIXING FAUCET - VACUUM BREAKER - PANEL MOUNT

- Panel mounted for hot and cold water
- 8" convertible rigid/swing gooseneck
- Integral vacuum breaker
- 2-hole, 6" installation
- Removable serrated hose end

52L1714VB-WSA-8-MX

52L1714VB8MX
Four-arm Handle

52L1714VB-WSA-8-BH-MX

52L1714VB8BMX
Blade Handle



COMBINATION FAUCETS

- Faucet bodies: Forged brass with polished chrome plated finish
- Faucet valves: Self-contained renewable unit with replaceable stainless steel seat
- Faucet handles: Chrome plated forged brass
- 2 ball valves for laboratory gases
- Ball valve bodies: Forged brass with polished chrome finish
- Ball valves: Chrome plated brass ball and molded PTFE seals
- Ball valve handles: Chrome plated forged brass

See Components page for configuration options

DOUBLE SERVICE FIXTURE - DECK MOUNT

- Deck mounted fixture for cold water and gas
- 6" rigid gooseneck
- Integral vacuum breaker
- Removable serrated hose end

52L66VB-WSA-6-CW-GAS

52L66VB6CWG

Cold Water / Four-arm handle

52L66VB-WSA-6-BH-CW-GAS

52L66VB6BCWG

Cold Water / Blade Handle



TRIPLE SERVICE FIXTURE - DECK MOUNT

- Deck mounted fixture for cold water and gas
- 6" rigid gooseneck
- Integral vacuum breaker
- Removable serrated hose end

52L68VB-WSA-6-CW-GAS

52L68VB6CWG

Cold Water / Four-arm handle

52L68VB-WSA-6-BH-CW-GAS

52L68VB6BCWG

Cold Water / Blade Handle



DOUBLE SERVICE FIXTURE - DECK MOUNT

- Deck mounted fixture for cold water and gas
- Heavy wall brass pipe riser
- In-line vacuum breaker on water outlet
- Removable serrated hose end

52L5400-110-WSA-CW-GAS

52L5400110CWG

Cold Water / Four-arm handle

52L5400-110-WSA-BH-CW-GAS

52L5400110BCWG

Cold Water / Blade Handle



COMBINATION FIXTURE - DECK MOUNT

- Deck mounted mixing faucet for hot and cold water and gas
- Heavy wall brass pipe riser
- In-line vacuum breaker on water outlet
- Removable serrated hose end

52L5800-110-WSA-MX-GAS

52L5800110MXG

Hot & Cold Water / Four-arm Handle

52L5800-110-WSA-BH-MX-GAS

52L5800110BMXG

Hot & Cold Water / Blade Handle



MISC FIXTURES

PURE WATER FAUCET - DECK MOUNT - MANUAL CONTROL

- Deck mounted for distilled, deionized or reverse osmosis water.
- All components in contact with water have interior lining of pure tin
- 6" convertible rigid/swing gooseneck.
- Removable serrated hose end

52L694-PW-RH

52L694PWRH

Right Hand / Four-arm Handle



PRE-RINSE SPRAY UNIT - DECK MOUNT

- Deck mounted for hot or cold water
- 8ft. reinforced PVC hose
- Brass spray-type head with rubber collar
- 300 PSI max rated working pressure
- Chrome plated brass self closing squeeze valve with insulated stainless steel handle

52PR1020



SINK BUBBLER WITH MOUTH GUARD

- Antimicrobial flexible mouth guard
- Self-closing, push button controlled
- 304 Stainless Steel

52JSB10FLX



SINK BUBBLER WITH MOUTH GUARD - ADA

- Self-closing, lever controlled
- Solid cast brass body
- Chrome Finish

52JSB10FLX

52JBB5ADA



SERVICE FIXTURE COMPONENTS

**4" WRIST BLADE
HANDLE KIT**

- Chrome plated forged brass

52HK044-200LH-90

52HK044200LH90

Left Hand Kit



52HK044-200RH-90

52HK044200RH90

Right Hand Kit



AERATOR

- Can use in lieu of serrated hose end

52BO055



**LEVER
HANDLE KIT**

- Chrome plated forged brass

52HK043-200LH-90

52HK043200LH90

Left Hand Kit



52HK043-200RH-90

52HK043200RH90

Right Hand Kit



**STRAIGHT SERRATED
HOSE END**

- Anti-splash straight seven serration hose end

52BO140S-W

52BO140SW



INDEX BUTTON

- Molded nylon index button
- Specify service when ordering

52PA032



- 52PA032-GAS 52PA032GAS
- 52PA032-AIR 52PA032AIR
- 52PA032-VAC 52PA032VAC
- 52PA032-CW 52PA032CW
- 52PA032-HW 52PA032HW

**IN-LINE VACUUM
BREAKER**

- Dual check vacuum breaker

52L110



KITCHEN/BAR FAUCETS

SINGLE LEVER FAUCET

- Chrome plated finish
- 8", 360° swivel spout
- 3-hole, 8" installation

52P110LF



SINGLE LEVER FAUCET WITH SPRAY

- Chrome plated finish
- 8", 360° swivel spout
- Integral black side spray
- 3-hole, 8" installation

52P114LF



DOUBLE LEVER FAUCET

- Chrome plated finish
- 9", 360° swivel spout
- 3-hole, 9" installation

52P299208LF



KITCHEN/BAR FAUCETS

BAR PREP FAUCET

- Chrome plated finish
- High arc, 5", 360° Swivel spout
- 3-hole, 4" installation

52P288LF



DOUBLE LEVER GOOSENECK FAUCET

- Chrome plated finish
- High arc, 7.7", Swivel spout
- 3-hole, 8" installation

52G5114483



DOUBLE LEVER GOOSENECK FAUCET WITH SPRAY

- Chrome plated finish
- High arc, 7.7", Swivel spout
- Chrome side spray
- 4-hole, 8" installation

52G5372320L

- Sprayer on left (as shown)

52G5372320R

- Sprayer on right



MIXING FAUCET - DECK MOUNT

- Deck mounted for hot and cold water
- 6" rigid/swing gooseneck
- Removable aerator

52L424-6-55-BH-MX

52L424655BMX
Blade Handle



DOUBLE LEVER GOOSENECK FAUCET

- Chrome plated finish
- High arc, 7.3", Swivel spout
- 3-hole, installer defined spacing

52J1176KS



VANITY FAUCETS

SINGLE LEVER VANITY FAUCET W/ POP-UP DRAIN

- Chrome plated finish
- Pop-up drain assembly
- 3-hole, 4" installation

52P136LF



BLADE HANDLE VANITY FAUCET

- Chrome plated finish
- 3-hole, 4" installation

52P241LF

