


DESIGN INFORMATION	2
EPOXY SINKS FOR EPOXY TOPS	6
EPOXY SINKS FOR PHENOLIC TOPS	9
GENERAL SOLID TOP SINK ACCESSORIES	11
STAINLESS STEEL SINKS	12
STAINLESS STEEL SINK ACCESSORIES	16
SOLID SURFACE SINKS	17


Rev. 09-09-25

©2023 STEVENS INDUSTRIES, INC.
ALL RIGHTS RESERVED.
Due to continuing product
development, Stevens reserves
the right to change specifications
without notice.


**STEVENS ADVANTAGE CABINETS & COUNTERTOPS
STAINLESS STEEL SINK MAX CUTOUTS**



NOMINAL 21 SINK CABINET DEPTH
Accommodates up to 18" deep sink




NOMINAL 24 SINK CABINET DEPTH
Accommodates up to 20" deep sink




NOMINAL 29 SINK CABINET DEPTH
Accommodates up to 25" deep sink


**ADVANTAGE SCIENTIFIC CABINETS & COUNTERTOPS
STAINLESS STEEL SINK MAX CUTOUTS**




NOMINAL 19 SINK CABINET DEPTH
Accommodates up to 15" deep sink



NOMINAL 23 SINK CABINET DEPTH
Accommodates up to 19" deep sink




NOMINAL 28 SINK CABINET DEPTH
Accommodates up to 24" deep sink




NOMINAL 29 SINK CABINET DEPTH
Accommodates up to 25" deep sink


**ADVANTAGE SCIENTIFIC CABINETS & COUNTERTOPS
EPOXY SINK MAX CUTOUTS (No Drying Racks)**




NOMINAL 19 SINK CABINET DEPTH
Accommodates up to 11" deep sink



NOMINAL 23 SINK CABINET DEPTH
Accommodates up to 15" deep sink




NOMINAL 28 SINK CABINET DEPTH
Accommodates up to 20" deep sink




NOMINAL 29 SINK CABINET DEPTH
Accommodates up to 21" deep sink


**ADVANTAGE SCIENTIFIC CABINETS & COUNTERTOPS
EPOXY SINK MAX CUTOUTS (With Drying Racks)**



NOMINAL 23 SINK CABINET DEPTH
Accommodates up to 11" deep sink




NOMINAL 28 SINK CABINET DEPTH
Accommodates up to 16" deep sink





NOMINAL 29 SINK CABINET DEPTH
Accommodates up to 17" deep sink

EPOXY SINKS FOR EPOXY TOPS

DROP-IN RECTANGULAR EPOXY SINKS - BLACK






Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52D03	Center	12	8	6
52D05	Center	14	10	6
52D10	Center	16	8	7
52D15	Center	16	12	8
52D20	Corner	16	16	8
52D22	Center	18	7	6
52D25	Corner	18	15	8
52D30	Corner	18	15	11
52D54	Corner	25	15	8
52D55	Corner	25	15	10
52D59	Corner	28	15	12




ADA DROP-IN RECTANGULAR EPOXY SINKS - BLACK





Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52D05A	Corner	14	10	5
52D07A	Corner	14	14	5
52D25A	Corner	18	15	5
52D26A	Corner	18	15	5/11
52D55A	Corner	25	15	5
52D56A	Corner	25	15	5/11



DROP-IN TROUGH EPOXY SINKS - BLACK




Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52DT36	Off-Center	35	6	4
52DT48	Off-Center	47	6	4





EPOXY SINKS FOR EPOXY TOPS

DROP-IN HEXAGONAL EPOXY SINK




52DH20

Outlet	Dimensions (in)		
	Inside (nominal)		
	L	W	D
Center	30	26	7




OVAL CUP EPOXY SINK



52CS4R

Dimensions (in)					
Inside			Outside		
L	W	D	L	W	D
5.7	2.7	3.7	7.5	4.5	8.3


END AND WALL EPOXY SINK



52E46

Outlet	Dimensions (in)			
	Inside			Back Splash
	L	W	D	
Corner	22.0	13.6	12.6	3.8

STAND FOR 52E46 SINK



49739

Dimensions (in)		
W	H	D
20.5	14 or 16	13.75

EPOXY SINK ACCESSORIES FOR EPOXY TOPS

OPEN END
OVERFLOW
- BLACK



52POB

Model #	Dimensions (in)	
	A	B
52POB4	1 5/8	4
52POB6	1 5/8	6
52POB8	1 5/8	8




OUTLET/STOPPER
- BLACK



52P98

Dimensions (in)		
Size	A	B
1 1/2 NPSL	3 3/8	3 3/4





EPOXY SINKS FOR PHENOLIC TOPS

DROP-IN RECTANGULAR EPOXY SINKS - BLACK



Epoxy Sinks are shipped with Outlet, Stopper and Overflow.

Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52S03	Corner	12	8	8
52S05	Corner	14	10	6
52S10	Corner	16	8	7
52S15	Corner	16	12	8
52S25	Corner	18	15	8
52S30	Corner	18	15	11
52S55	Corner	25	15	10
52S59	Corner	28	15	12



ADA DROP-IN RECTANGULAR EPOXY SINKS - BLACK




Epoxy Sinks are shipped with Outlet, Stopper and Overflow.

Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52S25A	Corner	18	15	5
52S55A	Corner	25	15	5


DROP-IN HEXAGONAL EPOXY SINKS



Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		L	W	D
52SH20	Offset	30	26	7




DROP-IN TROUGH EPOXY SINKS - BLACK



See Epoxy Sink Accessories Page for Outlet, Stopper and Overflow.

Model #	Outlet	Dimensions (in)		
		Inside (nominal)		
		A	B	C
52DT36	Off-Center	35	6	4
52DT48	Off-Center	47	6	4



EPOXY SINK ACCESSORIES FOR PHENOLIC TOPS

**OPEN END
OVERFLOW
- BLACK**



Phenolic Sinks are shipped with Outlet, Stopper and Overflow, except Trough Sinks.

Model #	Dimensions (in)	
	A	B
52SOT4	1 1/2	4
52SOT6	1 1/2	6
52SOT8	1 1/2	8




**OUTLET/STOPPER
- BLACK**




Epoxy Sinks are shipped with Outlet, Stopper and Overflow, except Trough Sinks.

Model #	Dimensions (in)		
	Size	A	B
52SOS1	1 1/2 NPSL	2 7/8	4 5/32



GENERAL SOLID TOP SINK ACCESSORIES

SINK COVER - MATCHES TOP COLOR




Phenolic construction for epoxy rectangular and trough drop-in sinks.
Bottom extension is sized to fit sink inside dimensions.

Model #	Sink Size (in)	
	Inside (nominal)	
	A	B
52C03	12	8
52C05	14	10
52C10	16	8
52C15	16	12
52C20	16	16
52C22	18	6.5
52C25	18	15
52C30	18	15
52C50	24	16
52C54	25	15
52C55	25	15
52C59	28	15
52C36	35	6
52C48	47	6



SIDE PROFILE

ALL WAY TRAP



52P91

Can be used in "P" or "S" configuration.

Inlet	Outlet	Dimensions (in)						
		A	A1	B		B1		C
				(MIN)	(MAX)	(MIN)	(MAX)	
1 1/2 NPS	1 1/2 VMT-VS	9 1/2	6	2 1/2	7 1/4	6 1/8	10 7/8	2 1/2

STAINLESS STEEL SINKS



Drilling:
1 Hole Faucet Left
1 Bubbler Right

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52CRAADA1725A55-LM	25	5 1/2	17	16	13 1/2	3 1/2
52CRAADA1923A55-LM	22	5 1/2	19 1/2	13 1/2	16	3 1/2
52CRAADA1925A55-LM	25	5 1/2	19 1/2	16	16	3 1/2
52CRAADA1928A55-LM	28	5 1/2	19 1/2	19	16	3 1/2
52CRAADA1931A55-LM	31	5 1/2	19 1/2	22	16	3 1/2



Drilling:
3 Hole Faucet Left
1 Bubbler Right

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52CRAADA1923A55-04	22	5 1/2	19 1/2	13 1/2	16	3 1/2
52CRAADA1925A55-04	25	5 1/2	19 1/2	16	16	3 1/2
52CRAADA1928A55-04	28	5 1/2	19 1/2	19	16	3 1/2
52CRAADA1931A55-04	31	5 1/2	19 1/2	22	16	3 1/2

STAINLESS STEEL SINKS

SINGLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52SL1515A	15	7	15	12	9 1/4	3 1/2
52SL17519A	19	7 1/2	18	16	11 1/2	3 1/2
52SL1815A	15	7 1/2	17 1/2	12	12	3 1/2
52SL1921A	22	7 1/2	19 1/2	18	14	3 1/2

DEEP SINGLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52SLX1617A	17	10 1/8	16	14	10	3 1/2
52SLX1815A	15	9	17 1/2	12	12	3 1/2
52SLX1921A	22	10	19 1/2	18	14	3 1/2

ADA SINGLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Specify depth in 1/2" increments, from 4.5" to 6.5".

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H specify depth in 1/2" increments (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52SLADA17519A	19	4 1/2 - 6 1/2	18	16	11 1/2	3 1/2
52SLADA1815A	15	4 1/2 - 6 1/2	17 1/2	12	12	3 1/2
52SLADA1921A	22	4 1/2 - 6 1/2	19 1/2	18	14	3 1/2

STAINLESS STEEL SINKS

DOUBLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52DL17537A	37 1/4	7 1/2	17	16	11 1/2	3 1/2
52DL1829A	29	7 1/2	18	12	12	3 1/2
52DL1933A	33	7 1/2	19 1/2	14	14	3 1/2

DEEP DOUBLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52DLX1829A	29	9	18	12	12	3 1/2
52DLX1933A	33	10	19 1/2	14	14	3 1/2

ADA DOUBLE BOWL

18-GA./304 ALLOY



Must specify faucet hole punching required. (See page 15)

Specify depth in 1/2" increments, from 4.5" to 6.5".

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H specify depth in 1/2" increments (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
52DLADA1829A	29	4 1/2 - 6 1/2	18	12	12	3 1/2
52DLADA1933A	33	4 1/2 - 6 1/2	19 1/2	14	14	3 1/2

STAINLESS STEEL SINKS

SINGLE BOWL

22-GA. STAINLESS STEEL



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
5211515	15	5 1/8	15	12	10	2
5211719	17	6 1/8	19	14	14	3 1/2

DOUBLE BOWL

22-GA. STAINLESS STEEL



Must specify faucet hole punching required. (See page 15)

Model #	Overall Sink Size (in)			Bowl Size (in)		Outlet
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	D (front to back)	
5222519	25	6 1/4	19	10	14	3 1/2
5223319	33	6 1/4	19	14	14	3 1/2

Faucet Hole Punching Options – Single Bowl Sinks


Specify faucet hole punching required by adding the appropriate number code.

- 1 for (1) hole, centered
- 2 for (2) holes on 4" centers
- 3 for (3) holes on 4" centers


Example:

Specify 52SL1921A3 for 52SL1921A sink with 3 holes on 4" centers


(1) hole, centered



(2) holes on 4" centers



(3) holes on 4" centers



If ADA Sink, will also require depth information. Provide after hole notation.

Example:

52SLADA1815A2-4.5 is a 52SLADA1815A sink with 2 holes on 4" centers that is 4.5" deep.

Faucet Hole Punching Options – Double Bowl Sinks


Specify faucet hole punching required by adding the appropriate number code.

- 1 for (1) hole, centered
- 2 for (2) holes on 4" centers
- 3 for (3) holes on 4" centers
- 4 for (4) holes on 4" centers


Example:

Specify 52DL1829A3 for 52DL1829A sink with 3 holes on 4" centers


(1) hole, centered




(2) holes on 4" centers



(3) holes on 4" centers



(4) holes on 4" centers



STAINLESS STEEL SINK ACCESSORIES


STRAINER



52J35STP

Stainless steel cup strainer with removable basket. Basket fitted with rubber stopper. For 3 1/2" sink outlet.

UNDERMOUNT SINK SUPPORT ASSEMBLY



10942

Includes (2) Channels. Channel Sized To Fit Inside 48" Wide Unit.

W: 46
H: 03
D: 02

ADA STRAINER



52JADA35

ADA Stainless steel cup strainer with removable basket. Basket fitted with rubber stopper. For 3 1/2" sink outlet.


DRAIN WITH FLAT STRAINER



52J35FS

Chrome plated brass drain with flat strainer. For 3 1/2" sink outlet.

PLASTER AND SEDIMENT TRAP



52P97


Compatible with All Craft Sinks
Black
1 1/2-Gal. Capacity
(2) Inlets (1 1/2")
(1) Outlet (2")
(1) Cleanout (3")

W: 09
H: 12
D: 09

Dimensions (in)

A	B	C
9	12	6 7/8

ALL WAY TRAP



52P91


Can be used in "P" or "S" configuration.

Inlet	Outlet	Dimensions (in)						
		A	A1	B		B1		C
				(MIN)	(MAX)	(MIN)	(MAX)	
1 1/2 NPS	1 1/2 VMT-VS	9 1/2	6	2 1/2	7 1/4	6 1/8	10 7/8	2 1/2

SOLID SURFACE SINKS


Available in Glacier White, Cameo White, Bone and Bisque

OVAL VANITY



Model #	Overall Sink Size (in)			Bowl Size (in)		
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	H (bowl depth)	D (front to back)
52CN-810P	18 1/8	7	14 3/4	16 3/8	5	13

OVAL VANITY - ADA




Model #	Overall Sink Size (in)			Bowl Size (in)		
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	H (bowl depth)	D (front to back)
52CN-820P	16 1/2	7 1/2	12 1/4	14 3/4	5 1/2	10 1/2

SOLID SURFACE SINKS


Available in Glacier White, Cameo White, Bone and Bisque

RECTANGLE VANITY - ADA



Model #	Overall Sink Size (in)			Bowl Size (in)		
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	H (bowl depth)	D (front to back)
52CN-8252	16 3/4	7	15 3/8	15 1/4	5 1/4	13 7/8

RECTANGLE VANITY - ADA



Model #	Overall Sink Size (in)			Bowl Size (in)		
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	H (bowl depth)	D (front to back)
52CN-8254	19 1/2	6 7/8	14 3/8	18	5	12 3/4

RECTANGLE KITCHEN - ADA



Model #	Overall Sink Size (in)			Bowl Size (in)		
	W (left to right)	H (bowl depth)	D (front to back)	W (left to right)	H (bowl depth)	D (front to back)
52CN-5610NOF	28 1/2	6 1/4	17 1/2	17	5 1/2	16

