

COUNTERTOPS

TERMS AND CODES	2	GLOSSARY TERMS	2
		PRODUCT CODES	2
DESIGN DETAILS	3	TOP SECTIONS	3-11

COUNTERTOPS

PHENOLIC	12	CP00 CHEMICAL RESISTANT PHENOLIC - BEVELED EDGE	12
EPOXY RESIN	13	ES00 EPOXY - BEVELED EDGE	13
		ES02 EPOXY - MARINE EDGE	14
LAMINATE	15	LS05 LAMINATE - 3MM EDGE	15
		LS07 LAMINATE - SELF EDGE	16
		LS25 CHEMICAL RESISTANT LAMINATE - 3MM EDGE	17
		LS26 CHEMICAL RESISTANT LAMINATE - SELF EDGE	17
STAINLESS STEEL	19	SS00 STAINLESS STEEL - FORMED EDGE	18
		SS01 STAINLESS STEEL - MARINE EDGE	18
HARDWOOD	19	WD00 HARDWOOD LUMBER - SANDED EDGE	19

WINDOWSILLS

PHENOLIC	12	CP00 CHEMICAL RESISTANT PHENOLIC - BEVELED EDGE	12
EPOXY RESIN	13	ES00 EPOXY - BEVELED EDGE	13
LAMINATE	16	LS07 LAMINATE - SELF EDGE	16

REV. 06/13/25

©2023 STEVENS INDUSTRIES, INC.
ALL RIGHTS RESERVED.
Due to continuing product
development, Stevens reserves
the right to change specifications
without notice.

Stevens Industries, Inc., from its initial founding in 1956, has provided a complete solution of cabinets and countertops fabricated and coordinated as a full product offering. Stevens Advantage countertops, included with the wide range of cabinets and millwork, can complete the entire project's requirements. Countertops are available in several versions of laminate, epoxy resin, hardwood, phenolic, stainless steel and hardwood. The following technical descriptions and design data illustrate the available designs. Beyond those shown, Stevens Millwork can also provide unique special applications.

GLOSSARY OF TERMS:

3mm Edge:	Edge with high impact 3mm (1/8") thickness extrusion (patterns available from Stevens standard offering)
Backer:	Underside faced with laminate backer
HGS:	Horizontal Grade Standard
HPL:	High Pressure Laminate
Marine Edge:	Raised outside countertop edge
Self Edge:	Edges laminated with same High Pressure Laminate as countertop face
TFL:	Thermally Fused Laminate

COUNTERTOP PREFIX CODES:

CP: Phenolic	SS: Stainless Steel
ES: Epoxy Resin	WD: Laminated Hardwood (Butcher Block)
LS: Laminate	

CORES:

Laminate countertops are offered in the following cores:

(Some cores not available in all thicknesses, see series offering for full details)

Particleboard

- Ultra Low Emitting Formaldehyde Particleboard
- Moisture Resistant Particleboard
- Ultra Low Emitting Formaldehyde Moisture Resistant Particleboard
- Fire Rated Particleboard

Medium Density Fiberboard


- Ultra Low Emitting Formaldehyde Medium Density Fiberboard
- Moisture Resistant Medium Density Fiberboard
- Ultra Low Emitting Formaldehyde Moisture Resistant Medium Density Fiberboard
- Fire Rated Medium Density Fiberboard

Plywood

COUNTERS


15 NOM: 15 3/16" / 386mm

15 NOM COUNTER
14 NOM BASE




18 NOM: 17 3/4" / 450mm

18 NOM COUNTER
17 NOM BASE




20 NOM: 20 1/4" / 514mm

20 NOM COUNTER
19 NOM BASE




24 NOM: 23 5/8" / 600mm

24 NOM COUNTER
23 NOM BASE




24 NOM COUNTER
17 NOM BASE + CHASE




COUNTERS – COUNTER CURBS / LEDGES

24 NOM: 23 5/8" / 600mm

24 NOM COUNTER
19 NOM BASE + CHASE




24 NOM COUNTER CURB/LEDGE
17 NOM BASE + CHASE



25 NOM: 24 7/8" / 632mm – For Prep Room (dishwasher incorporated)


25 NOM COUNTER
24 NOM BASE




COUNTERS – COUNTER CURBS / LEDGES

29 NOM: 29" / 728mm


29 NOM COUNTER
28 NOM BASE




29 NOM COUNTER
23 NOM BASE + CHASE




29 NOM COUNTER
19 NOM BASE + CHASE



29 NOM COUNTER
17 NOM BASE + CHASE




29 NOM COUNTER CURB/LEDGE
23 NOM BASE + CHASE




ISLANDS / ISLAND EXTENSIONS

24 NOM: 24 5/16" / 618mm

24 NOM ISLAND
21 NOM BASE




24 NOM ISLAND
17 NOM BASE + CHASE




29 NOM: 29 3/8" / 746mm


29 NOM ISLAND
26 NOM BASE




29 NOM ISLAND
23 NOM BASE + CHASE



29 NOM ISLAND
19 NOM BASE + CHASE




29 NOM ISLAND
17 NOM BASE + CHASE




ISLANDS / ISLAND EXTENSIONS

35 NOM: 35 7/16" / 900mm


35 NOM ISLAND
BACK/BACK17 NOM BASE




35 NOM ISLAND
28 NOM BASE + CHASE



35 NOM ISLAND
23 NOM BASE + CHASE




35 NOM ISLAND
19 NOM BASE + CHASE




ISLANDS / ISLAND EXTENSIONS

41 NOM: 40 1/2" / 1028mm


41 NOM ISLAND
BACK/BACK 19 NOM BASE



41 NOM ISLAND
BACK/BACK 17 NOM BASE + CHASE




41 NOM ISLAND
BACK/BACK 14 NOM BASE + CHASE




42 NOM: 41 3/4" / 1060mm

42 NOM ISLAND
BACK/BACK 17 NOM BASE + CHASE




42 NOM ISLAND
BACK/BACK 14 NOM BASE + CHASE




ISLANDS / ISLAND EXTENSIONS

47 NOM: 47 1/4" / 1200mm


47 NOM ISLAND
BACK/BACK 23 NOM BASE



47 NOM ISLAND
BACK/BACK 19 NOM BASE + CHASE




47 NOM ISLAND
BACK/BACK 17 NOM BASE + CHASE




ISLANDS / ISLAND EXTENSIONS

58 NOM: 57 5/16" / 1456mm


58 NOM ISLAND
BACK/BACK 28 NOM BASE



58 NOM ISLAND
BACK/BACK 23 NOM BASE + CHASE




58 NOM ISLAND
BACK/BACK 19 NOM BASE + CHASE




PENINSULAS


WITH 27" PERIMETER BASE INSERT




WITH 30" PERIMETER BASE INSERT




WITH 36" PERIMETER BASE INSERT




WITH 42" PERIMETER BASE INSERT




WITH 48" PERIMETER BASE INSERT



WITH 60" PERIMETER BASE INSERT



CP00



CP00 PHENOLIC


- Solid phenolic core (color through core) with chemical resistant face
- 3mm beveled top edge, polished for consistent edge look
- Applied backsplash and endsplash
- Drip groove

AVAILABLE COUNTERTOP THICKNESSES:

Phenolic
19mm (3/4")
25mm (1")

PHENOLIC WINDOWSILLS

CP00



CP00 PHENOLIC WINDOWSILL

- Solid phenolic core (color through core) with chemical resistant face
- 3mm beveled top edge, polished for consistent edge look

AVAILABLE WINDOWSILL THICKNESSES:

Phenolic
19mm (3/4")
25mm (1")


ES00 EPOXY RESIN

- Solid epoxy resin
- 3mm beveled edges with smooth edge finish
- Applied backsplash and endsplash
- Drip groove
- Butt joints and attachment with field applied epoxy sealant and adhesives
- Epoxy resin coordinated sinks where specified
- Factory fabricated cutouts and drillings

AVAILABLE COUNTERTOP THICKNESSES:

Epoxy

- 19mm (3/4")
- 25mm (1")



EPOXY RESIN WINDOWSILLS


ES00 EPOXY RESIN

- Solid epoxy resin
- 3mm beveled edges with smooth edge finish


AVAILABLE WINDOWSILL THICKNESSES:

Epoxy

- 19mm (3/4")
- 25mm (1")



ES02



ES02 EPOXY RESIN

- Solid epoxy resin
- Lipped marine edge
- 3mm beveled edges with smooth edge finish
- Applied backsplash and endsplash
- Butt joints and attachment with field applied epoxy sealant and adhesives
- Epoxy resin coordinated sinks where specified
- Factory fabricated cutouts and drillings

AVAILABLE COUNTERTOP THICKNESS:

Epoxy
25mm (1")

LS05 LAMINATE

- 3mm edge top
- Applied 3mm edge backsplash and endsplash
- Backsplash/Endsplash thickness = Top Thickness, except when Top is 40mm thick, then it has 3/4" splashes.

AVAILABLE COUNTERTOP THICKNESSES:


All Cores Except Plywood

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for fire-rated particleboard)
- 40mm (1-9/16")* (n/a for fire-rated MDF)

Plywood

- 27mm (1-1/16")
- 40mm (1-9/16")*

*Edges: specific patterns only



LS07 LAMINATE

- Self edge top
- Applied self edge backsplash and endsplash
- Backsplash/Endsplash thickness = Top Thickness, except when Top is 40mm thick, then it has 3/4" splashes.

AVAILABLE COUNTERTOP THICKNESSES:

All Cores Except Plywood


- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for fire-rated particleboard)
- 40mm (1-9/16") (n/a for fire-rated MDF)

Plywood

- 27mm (1-1/16")
- 40mm (1-9/16")

Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.

LS07



LAMINATE WINDOWSILLS

LS07 LAMINATE

- Self Edge

AVAILABLE WINDOWSILL THICKNESSES:


All Cores Except Plywood

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for fire-rated particleboard)
- 40mm (1-9/16")* (n/a for fire-rated MDF)


Plywood

- 27mm (1-1/16")
- 40mm (1-9/16")*

LS07



LS25



LS25 CHEMICAL RESISTANT LAMINATE

- Chemical resistant face laminate
- 3mm edge top
- Applied 3mm edge backsplash and endsplash
- Backsplash/Endsplash thickness = Top Thickness, except when Top is 40mm thick, then it has 3/4" splashes.

AVAILABLE COUNTERTOP THICKNESSES:

All Cores Except Plywood


- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for fire-rated particleboard)
- 40mm (1-9/16")* (n/a for fire-rated MDF)

Plywood

- 27mm (1-1/16")
- 40mm (1-9/16")*

*Edges: specific patterns only

LS26



LS26 CHEMICAL RESISTANT LAMINATE

- Chemical resistant face laminate
- Self edge top
- Applied self edge backsplash and endsplash
- Backsplash/Endsplash thickness = Top Thickness, except when Top is 40mm thick, then it has 3/4" splashes.

AVAILABLE COUNTERTOP THICKNESSES:

All Cores Except Plywood

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for fire-rated particleboard)
- 40mm (1-9/16") (n/a for fire-rated MDF)

Plywood

- 27mm (1-1/16")
- 40mm (1-9/16")


Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.

SS00 STAINLESS STEEL

- Formed edge design with integral cove
- Fabricated from 16-gauge 304 stainless steel
- Formed edges and bends with welded and polished corners

AVAILABLE COUNTERTOP THICKNESSES:

Stainless Steel
30mm (1-1/8")




SS01 STAINLESS STEEL


- Marine edge design with integral cove
- Fabricated from 16-gauge 304 stainless steel
- Formed edges and bends with welded and polished corners

AVAILABLE COUNTERTOP THICKNESSES:

Stainless Steel
40mm (1-1/2")



WD00



WD00 HARDWOOD EDGE-GRAINED

- Laminated kiln dried hardwood lumber
- Industrial grade with butt joints and edge grain fabrication (butcher block) design
- Edges sanded smooth with top and bottom corners broken
- Faces and edges sealed with varnish finish

AVAILABLE COUNTERTOP THICKNESSES:

Hardwood
38mm (1-1/2")

Note: Hardwood lumber tops are susceptible to changes due to moisture, heat and cold conditions. Warpage and edge splitting may occur under unusual field conditions. Wood tops should only be delivered and installed after project HVAC systems are working and balanced for normal interior conditions. Never store or use in high or low humidity with cyclical conditions.

Sinks and sink cutouts not recommended and will void warranty.