

Commercial Cabinetry and Millwork

	Table of Contents
	Steel Frame Bench3
	Workbench4-5
	Island Locker Bench6-7
F	Pedestal Bench Table8
F	Specialty Project Workstation9
T	Crafts Table10
ΓŢ	Steel Frame Bench Table11
	Wall Craft Sink12
	Island Craft Sink13
	(continued on page 2)

©2017 Stevens Industries, Inc. Due to continuing product development, Stevens reserves the right to change specifications without notice.



	Table of Contents (continued)
	Specialty Sink14
	Spray Booth/Hood15
	Paper Storage16
	Stackable Storage17
	Project Storage18-20
	Drafting Board Storage21
	Crafts/Specialty Storage22
	Material Storage23-24
3	Accessories25
	Vises26

Steel Frame Bench

See Countertop section for available top series.



		Multi-Purpose Bench
SUGGESTED TOP SERIES Series Description WD00S44 1¾* Hardwood (Maple)		W H D 72 34 42 78 48
		Powder Coated Welded Upper and Lower Frames Bolted 2x2 Tubular Legs Lower Frame with 1" Deck Slats Top Space Overhang on Ends Accommodates Woodworking Vises (see page 26)
		35701
	72W Bench: overhang accommodates up to 4x7 Woodworking Vises 78W Bench: overhang accommodates up to 4x9 and 4x10 Woodworking Vises	
		Metalworking Bench
SUGGESTED TOP SERIES		WHD
Series Description WD00S44 1¾* Hardwood (Maple)		72 34 42 96
		Powder Coated Welded Upper and Lower Frames Bolted 2x2 Tubular Legs Lower Frames with 1" Deck Slats Top Includes Front and Back Full Length Angle Iron Edge Accommodates Top Mounted Vises (see page 26)
		35702

Workbench

50H 30"

54H 34"

Height

50H 30"

54H 34"

Height

See Countertop section for available top series.

30" Chair Height

34" Stool / ADA Height

W н D


95 50 24


95 54 24

(see next page)


35730


Accommodates 35610 Electronics Bar











INCLUDES:

(2) 10421

W

15

Drawer: 61/8"H False Front

(1) 35611 Hutch Assembly

(2) 10812 Pedestal Legs

(2) 10870 Apron Rails

н

29

32

Right Hinge Door

Adjustable Shelf

D

24


W Н

95 50

95 54


30" Chair Height

34" Stool / ADA Height



Workbench


See Countertop section for available top series.





Island Locker Bench – Single Face


See Countertop section for available top series.



ADVANTAGE[®]

Island Locker Bench – Double Face

See Countertop section for available top series.



See Countertop section for top series details.

되


ADVANTAGE

furnishings



Pedestal Bench Table

See Countertop section for available top series.



Molded trays with card holder: SA901: 141/4W x 31/2H x 19D

Depth

Width



Specialty Project Workstation


See Countertop section for available top series.



		Wall Counter Assembly
SUGO	GESTED TOP SERIES	W H D
Series	Description	72 36 19
LS05_27	11/16" High Pressure Laminate with 3mm Edge	84 22 96 25
PS59_29	11/8" Solid Surface with 3R/3R Profile Edge	Depths Refer to Nominal Top Sizes
WD00S44	13/4" Hardwood (Maple)	



Assembly **Н** 36 W 72 84 96



Wedging Table	Jewelry Station	Enlarger Station
W H D 48 59 26	W H D 59 54 23	W H D 36 59 29
(2) SA901 Trays ³ ⁄4" High Density Poly Surfaces and Back Panel Stainless Steel Wedging Wire Black Powder Coated Steel Frame Construction	(2) SA901 Trays Black Phenolic Work Surface White Laminate Structure Black Powder Coated Steel Frame Construction	Black Laminated Finishes Adjustable Platform on Side Rails
35941	35942	35943
Molded trays with SA901: 141/4W		

1217



Crafts Table


See Countertop section for available top series.

SUGGESTED TOP SERIES	Round Crafts Table	Square Crafts Table
Series Description .S05_27 11/16" High Pressure Laminate with 3rm Edge ^2S59_29 11/6" Solid Surface with 3R/3R Profile Edge	W H D 42 30 42 34 48 20 48	W H D 42 30 42 34
VD00S44 13/4" Hardwood (Maple)	48 30 48 34 Powder Coated 2x2	48 30 48 34 Powder Coated 2x2
	Steel Tubular Legs Adjustable Leveling Glides Laminate Plycore Frame Rails 34H = ADA Height	Steel Tubular Legs Adjustable Leveling Glides Laminate Plycore Frame Rails 34H = ADA Height
	38890	38892
		Rectangle Crafts Table
W F 36 60 30 42 66 34 48 72 54	D 24 36 60 30 30 42 66 34 36 48 72 54	W H D 48 66 30 42 54 72 34 48 60
Powder Coat Steel Tubula Adjustable Leveling Laminate Plycore Fram 34H = ADA	r Legs Steel Tubular Legs Glides Adjustable Leveling Glides Rails Laminate Plycore Frame Rails	Powder Coated 2x2 Steel Tubular Legs Adjustable Leveling Glides Laminate Plycore Frame Rails 34H = ADA Height
38	860 38868	38876

See Countertop section for top series details.



SUGGESTED TOP SERIES		
Series	Description	
LS05_27	1 ¹ /16" High Pressure Laminate with 3mm Edge	
PS59_29	11/8" Solid Surface with 3R/3R Profile Edge	
WD00S44	13/4" Hardwood (Maple) (required for use with vises)	



Steel Frame Bench Tables: accommodate top mounted Bench Vises and Multi-Purpose Vises (see page 26) (WD00S44 13/4" Hardwood top required)

For Steel Frame Bench Table and Extension Table combinations, tops provided in one-piece lengths up to maximum of:

- 1431/2" High Pressure Laminate
 1191/2" Solid Surface
- 1431/2" Hardwood (Maple)

ARTS AND CRAFTS

Steel Frame Bench Table

See Countertop section for available top series.

	Steel Frame Bench Table
W H D 36 30 30 42 34 36 48 54 60 66 72 72	W H D 48 30 42 54 34 48 60 66 72
Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height	Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height
38768	38776

Steel Frame Bench Extension Table	
W H D 47 30 42 53 34 48 59 65 71	W H D 35 30 30 41 34 36 47 53 59 65 71 71
Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height	Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height
38780	38772

- - - -



W H D 56 42 30 62

16 Gauge Stainless Steel Marine Edge Top (36" Counter Height) Integral High Back Wall Mount Integral 18" x 40" x 8" Sink (2) 52269-6A Cold Water Faucets (1) 52276-8A Hot and Cold Faucet (1) 52J35 Strainer

35302




W H D (1) 10480 54 35 29 60 61/s"H False Front Doors Removable Backs

W H D 74 42 30

16 Gauge Stainless Steel Marine Edge Top (36" Counter Height) Integral High Back Wall Mount Integral 18" x 40" x 8" Sink (2) 52269-6A Cold Water Faucets (1) 52276-8A Hot and Cold Faucet (1) 52J35 Strainer


35303



ARTS AND CRAFTS

Wall Craft Sink

Compatible with 52P97 Plaster and Sediment Trap



(1) 10421

18 35 24

Drawer: 61/8"H Front


Right Hinge Door Adjustable Shelf

Island Craft Sink

Compatible with 52P97 Plaster and Sediment Trap



W н D 49 56 36 62 16 Gauge Stainless Steel Marine Edge Top (2) Integral 18" x 40" x 8" Sinks (2) 52248-9A Deck Mount Hot and Cold Mixing Faucets (2) 52J35 Strainers 35321 **INCLUDES:** W н D 10480 (2) 54 35 24 60 61/8"H False Front Doors Removable Backs W н D 74 36 49 16 Gauge Stainless Steel Marine Edge Top (2) Integral 18" x 40" x 8" Sinks (2) 52248-9A Deck Mount Hot and Cold Mixing Faucets (4) 52254-6A Deck Mount Cold Water Gooseneck Faucets (2) 52J35 Strainers 35323 1



W H D 50 36 49


16 Gauge Stainless Steel Marine Edge Top (2) Integral 16" x 32" x 10¹/2" Sinks (2) 52248-9A Deck Mount Hot and Cold Mixing Faucets (2) 52J35 Strainers

35320



W H D 56 36 49 62

16 Gauge Stainless Steel Marine Edge Top (2) Integral 18" x 40" x 8" Sinks (2) 52248-9A Deck Mount Hot and Cold Mixing Faucets (4) 52254-6A Deck Mount Cold Water Gooseneck Faucets (2) 52J35 Strainers






Specialty Sink

Rinse Away/Developing Center



16 Gauge Stainless Steel Rinse Sink with 2" Rim Top Surface at 36" Height Integral 14" x 14" x 7¹/2" Drain Sink (1) 52262-6AWB Cold Water Faucet with Wrist Blade Handle (1) Deck Mount Pre-Rinse Spray Unit (1) 52J35 Strainer

35341




Island Rinse Away Center



16 Gauge Stainless Steel 10" Deep Trough Sink (36" High at Trough Rim) Phenolic Apron Assembly and Ledge Shelf Powder Coated Uprights and Faucet Chase (6) Overhead Water Valves (6) 522AR Aerators (1) 52J35 Strainer

35340



INCLUDES:

(1) 35195	24 26 Left Hinge D Adjustable S
(1) 35194	24 26 Right Hinge D

(1) 91036 Sink Apron Tub Assembly


(1) 91037	Uprights/Faucet Chase Assembly

ADA Rinse Away Center



16 Gauge Stainless Steel Rinse Sink with 2" Rim 34" Max. ADA Height Rim Integral 10" x 12" x 4" Center Drain Sink (1) 52262-6AWB Cold Water Faucet with Wrist Blade Handle (1) Deck Mount Pre-Rinse Spray Unit (1) 52J35 Strainer


35346



Wall Cleanup Center

W H D 78 42 30

16 Gauge Stainless Steel Top (36" High at Trough Rim) 10" Deep Trough Sink High Back Faucet Riser (3) 52269-6A Cold Water Faucets with Aerators (1) 52J35 Strainer



Spray Booth/Hood




		Spray Booth	Spray Booth Top	
W H D 48 48 24	W H D 48 48 24	W H D 48 48 24	W H D 48 00 24	
Steel Spray Booth Vapor Proof Light Changeable Filters	Steel Spray Booth Vapor Proof Light Blower with TEFC Motor Changeable Filters	Steel Spray Booth Explosion Proof Light Blower with Explosion Proof Motor Changeable Filters	3/4" Black Phenolic Top with Perimeter Spill Grooves	
52016	52017	52018	35924	

Island Canopy Hood
W H D 24 24 30 30 36 48 60 72 72
Island Style 18 Gauge Steel Powder Coated Finish 4 Threaded Mounting Rods
52026

V	Vall	Cano	ру	Но	od
			W 24 30 36 48 60 72	H 24	D 30
	2 Tł	1 Powder hreaded N	8 Ga Coa		Steel nish


52024



furnishings

Paper Storage

Paper storage drawers are equipped with ball bearing full extension type slides. All depths may not extend full drawer depth.



46 x 24 46 x 28

48 x 34

Paper storage drawers include rear retaining hoods. 48 x 29 48 x 34

42 x 24

42 x 30




Stackable Storage






Available in White TFL Finish






Project Storage

Actual 24D compartment depth = 217/8" Actual 29D compartment depth = 267/8"






Left Hinge Door

Project Storage

Actual 24D compartment depth = 21⁷/₈" Actual 29D compartment depth = 26⁷/₈"





W H

33 84

8 Vertical Compartments 10 Horizontal Compartments

Minimum Opening 3" ³⁄4" Dividers and Adjustable Shelves

D


24

29

25545

Project Storage

Actual 24D compartment depth = 217/8" Actual 29D compartment depth = 267/8"



25548



10 Vertical Compartments 10 Horizontal Compartments Minimum Opening 3" ¾" Dividers and Adjustable Shelves







Drafting Board Storage




Draf	ting Board Storage - Horizontal
W H D 26 84 24	W H D 28 84 24
Upper and Lower Doors Holds (26) 18 x 24 Boards on Rails	Upper and Lower Doors Holds (26) 20 x 26 Boards on Rails
25752	25753

	D	Prafting Board Storage - Vertical	
W 36	H D 84 24	W H D 36 84 24	
Holds (26 (26) 20 x 26 Boa	Doors 6) 18 x 24 or rds on Rails	Upper and Lower Doors Holds (26) 18 x 24 or (26) 20 x 26 Boards on Rails	
	25754	25755	

Crafts/Specialty Storage





(Glasses/Goggles not included)


Material Storage




	Clay Cart Port	Mobile Clay Cart
	W H D 24 29 21 35	W H D 20 22 20
	Designed to store 10685 Mobile Clay Cart	20-Gallon Tub with Lid Plywood Core Construction
	10683	10685
29н		
35н		
	10685 Mobile Clay Cart not included	
	Pullout Dry Bulk Storage	
	W H D 21 35 24 24	W H D 21 29 24 24
	Drawer 20-Gallon Tub with Lid 200# Full Extension Ball Bearing Drawer Track Plywood Core Pullout Drawer	20-Gallon Tub with Lid 200# Full Extension Ball Bearing Drawer Track Plywood Core Pullout Drawer
	10687	10686
29н		
35н		



Material Storage



W H D 36 84 24 39 42 48 Galvanized Liner Doors 5 Wire Shelves Drip Pan 25693	Da	mp	Storage	with	Seal –	Galv	aniz	ed
Doors 5 Wire Shelves Drip Pan 25693						36 39 42		
							D re She	oors elves
							256	93



Accessories



Advantage Goggle

UV-absorbing Polycarbonate Lens Tinted Flexible Body Adjustable Headband Indirect Vent Fits Over Most Prescription Eyewear Replaceable Lens Meets ANSI Z87.1-2003 Standards CUL Certified to Meet CAN/CSA-Z94.3 Standards (direct vent model shown below)

52194



	Plaster and Sediment Trap
	W H D 09 12 09 Compatible with All Craft Sinks White Translucent Poly 1½-Gal. Capacity (2) 1½" Inlets (1) 2" Outlet (1) 3" Cleanout
	52P97
Dimensions (in) A B C 9 12 6 7/8	




Vises

Woodworking Vise

8" Jaws – 7¹⁄4" Opening Guide Bars and Thread Screw Cast Iron Construction Mounts on Tops 1¹⁄2" to 2¹⁄4" Thick


35622



Multi-Purpose Vise


9" Jaws – 10¼" Opening Sliding Stop-Dog Quick Release for Speedy Adjustment Heavy Cast Iron Construction Acme Screw and Polished Guides Mounts on Tops 1½" to 2¼" Thick

35621




7" Jaws – 8" Opening Sliding Stop-Dog Quick Release for Speedy Adjustment Heavy Cast Iron Construction Acme Screw and Polished Guides Mounts on Tops 11/2" to 21/4" Thick


35620



5" Multi-Purpose Vise 5" Jaw Opening Jaws Rotate 360° Jaws Hold Flat Stock and Rounds Anvil Face Swivel Base Rotates 0° to 90° 35625



35624



Bench Vise

4" Bench Vise with Anvil 4" Jaws Machined Center Slide Large Acme Screw Anvil Face Swivel Base Rotates 0° to 90°

