



# COUNTERTOPS

Commercial Cabinetry and Millwork

## Table of Contents

Terms and Codes ..... 5

## COUNTERTOPS

Laminate Series..... 6-10

LS00: 90° postform edge top, applied 90° postform edge backsplash, applied self edge endsplash.....	6
LS05: 3mm edge top, applied 3mm edge backsplash and endsplash.....	6
LS07: Self edge top, applied self edge backsplash and endsplash.....	7
LS10: 90° postform edge top, integral coved 90° postform edge backsplash, applied self edge endsplash.....	7
LS11: 3mm edge top, integral coved 3mm edge backsplash, applied 3mm edge endsplash .....	8
LS15: 180° postform edge top, applied 90° postform edge backsplash, applied self edge endsplash.....	8
LS16: 180° postform edge top, integral coved 90° postform edge backsplash, applied self edge endsplash .....	9
LS25: Chemsurf face laminate, 3mm edge top, applied 3mm edge backsplash and endsplash .....	10
LS26: Chemsurf face laminate, self edge top, applied self edge backsplash and endsplash .....	10

Wood Edge Laminate Series: Profile wood edge top, applied 90° postform edge backsplash, applied self edge endsplash..... 11-14

LS60: 3R/3R profile top .....	11
LS64: 6R/6R profile top .....	11
LS65: 12B/0 profile top .....	12
LS67: 12R/0 profile top .....	12
LS68: 12R/12R profile top .....	13
LS70: Bullnose profile top .....	13
LS71: 6R/0 profile top .....	14

Solid Surface Series: Profile edge top, applied .5B/0 profile edge backsplash and endsplash .....

15-20

PS59: 3R/3R profile top .....	15
PS60: 3R/.5B profile top .....	15
PS61: 6B/.5B profile top .....	16
PS62: 6B/6B profile top .....	16
PS63: 6R/.5B profile top .....	17
PS64: 6R/6R profile top .....	17
PS65: 12B/.5B profile top .....	18
PS66: 12R/.5B profile top .....	18
PS67: 12R/6R profile top .....	19
PS68: 12R/12R profile top .....	19
PS72: .5B/.5B profile top.....	20

(continued on page 2)

# COUNTERTOPS

## Commercial Cabinetry and Millwork



### Table of Contents *(continued)*

<b>Solid Surface Series:</b> Profile edge top, integral coved .5B/0 profile edge backsplash, applied .5B/0 profile edge endsplash.....	<b>21-26</b>
PS79: 3R/3R profile top .....	21
PS80: 3R/.5B profile top .....	21
PS81: 6B/.5B profile top .....	22
PS82: 6B/6B profile top .....	22
PS83: 6R/.5B profile top .....	23
PS84: 6R/6R profile top .....	23
PS85: 12B/.5B profile top.....	24
PS86: 12R/.5B profile top.....	24
PS87: 12R/6R profile top.....	25
PS88: 12R/12R profile top.....	25
PS92: .5B/.5B profile top.....	26
<b>Epoxy Resin Series:</b> 3mm bevel/radius edges.....	<b>27</b>
ES00: Applied backsplash and endsplash.....	27
ES02: Lipped marine edge top, applied backsplash and endsplash.....	27
<b>Hardwood Series.....</b>	<b>28</b>
WD00 .....	28
<b>Stainless Steel Series.....</b>	<b>29-30</b>
SS00: Formed edge .....	29
SS01: Marine edge .....	30
<b>Phenolic Series .....</b>	<b>31-33</b>
AP00: Decorative face.....	31
AP01: Black acid resistant face .....	31
AP02: Decorative acid resistant face .....	32
AP03: Decorative face, drip groove .....	32
AP04: Black acid resistant face, drip groove .....	33
AP05: Decorative acid resistant face, drip groove .....	33
<b>Granite Series:</b> Applied straight polish profile edge backsplash and endsplash .....	<b>34-35</b>
GS00: Straight polish/straight polish profile edge top .....	34
GS01: Bevel $\pm\frac{1}{4}$ "/straight polish profile edge top.....	34
GS02: Half bullnose/straight polish profile edge top .....	35
<b>Marble Series:</b> Applied straight polish profile edge backsplash and endsplash .....	<b>36-37</b>
MS00: Straight polish/straight polish profile edge top .....	36
MS01: Bevel $\pm\frac{1}{4}$ "/straight polish profile edge top.....	36
MS02: Half bullnose/straight polish profile edge top .....	37

*(continued on page 3)*



# COUNTERTOPS

Commercial Cabinetry and Millwork

## Table of Contents *(continued)*

<b>Quartz Series:</b> Applied straight polish profile edge backsplash and endsplash .....	<b>38-39</b>
QS00: Straight polish/straight polish profile edge top .....	38
QS01: Bevel ± $\frac{1}{4}$ "/straight polish profile edge top.....	38
QS02: Half bullnose/straight polish profile edge top .....	39

## WINDOWSILLS

<b>Laminate Series.....</b>	<b>40-42</b>
LS50: Self edge .....	40
LS51: 90° postform edge .....	41
LS52: 180° postform edge .....	42
<b>Solid Surface Series.....</b>	<b>43-44</b>
PS10: 3R/3R profile edge .....	43
PS11: 3R/.5B profile edge .....	43
PS12: 6R/6R profile edge .....	44
PS13: .5B/.5B profile edge.....	44

# COUNTERTOPS

Commercial Cabinetry and Millwork





# COUNTERTOPS

## Commercial Cabinetry and Millwork

Stevens Industries, Inc., from its initial founding in 1956, has provided a complete solution of cabinets and countertops fabricated and coordinated as a full product offering. Stevens Advantage countertops, included with the wide range of cabinets and millwork, can complete the entire project's requirements. Countertops are available in several versions of laminate, solid surface (polymer), epoxy resin, hardwood, stainless steel, phenolic, granite, marble and quartz. The following technical descriptions and design data illustrate the available designs. Beyond those shown, Stevens Millwork can also provide unique special applications.

### GLOSSARY OF TERMS:

3mm Edge:	Edge with high impact 3mm (1/8") thickness extrusion (patterns available from Stevens standard offering)
90° Postform:	Seamless formed High Pressure Laminate wrapped over a 90° radius profile (eliminates brown edges and separate applied edge strips)
180° Postform:	Seamless formed High Pressure Laminate wrapped over a 180° profile (eliminates brown edges and separate applied edge strips)
Backer:	Back underside faced with laminate backer
Chemsurf:	Chemical resistant laminate
HGS:	Horizontal Grade Standard
HPL:	Face surfacing in High Pressure Laminate
Integral Cove:	Backsplash with a concave formed seamless intersection between countertop and backsplash
Marine Edge:	Raised outside countertop edge
MDF:	Medium Density Fiberboard
NAF:	No Added Formaldehyde
Self Edge:	Edges laminated with same High Pressure Laminate as countertop face
TFL:	Thermally Fused Laminate
TSCA:	Toxic Substances Control Act

### COUNTERTOP PREFIX CODES:

AP:	Phenolic	MS:	Marble
BW:	Laminated Workbench	PS:	Solid Surface (Polymer)
ES:	Epoxy Resin	QS:	Quartz
GS:	Granite	SS:	Stainless Steel
LS:	Laminate	WD:	Laminated Hardwood (Butcher Block)

### COUNTERTOP CORE/SUBSTRATE CODES:

C:	TSCA particleboard	M:	Moisture-resistant/NAF particleboard
D:	Medium Density Fiberboard (MDF)	P:	Plywood
F:	Fire-rated particleboard	R:	Rail
G:	Moisture-resistant/NAF MDF	S:	Solid
H:	Fire-rated MDF		

# COUNTERTOPS


## Laminate Series

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash



### LS00

Example:  
LS00C2721



### LS00 LAMINATE

- 90° postform edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash


#### Series/Core Codes:

- LS00C** TSCA particleboard  
**LS00M** Moisture-resistant/NAF particleboard  
**LS00F** Fire-rated particleboard  
**LS00D** Medium Density Fiberboard (MDF)  
**LS00G** Moisture-resistant/NAF MDF  
**LS00H** Fire-rated MDF

**LS00C, LS00M, LS00F, LS00D, LS00G and LS00H** available countertop thicknesses:  
 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS00F fire-rated particleboard)  
 40mm (1-9/16") (n/a for LS00H fire-rated MDF)

### LS05

Example:  
LS05C2721



### LS05 LAMINATE

- 3mm edge top
- Applied 3mm edge backsplash and endsplash

#### Series/Core Codes:

- LS05C** TSCA particleboard  
**LS05M** Moisture-resistant/NAF particleboard  
**LS05F** Fire-rated particleboard  
**LS05D** Medium Density Fiberboard (MDF)  
**LS05G** Moisture-resistant/NAF MDF  
**LS05H** Fire-rated MDF  
**LS05P** Plywood

**LS05C, LS05M, LS05F, LS05D, LS05G and LS05H** available countertop thicknesses:  
 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS05F fire-rated particleboard)  
 40mm (1-9/16")\* (n/a for LS05H fire-rated MDF)

#### LS05P available countertop thicknesses:

- 20mm (3/4")
- 27mm (1-1/16")
- 40mm (1-9/16")\*

\*edges: specific patterns only




# COUNTERTOPS

## Laminate Series

### LS07

Example:  
LS07C2721



### LS07 LAMINATE

- Self edge top
- Applied self edge backsplash and endsplash

#### Series/Core Codes:

<b>LS07C</b>	TSCA particleboard
<b>LS07M</b>	Moisture-resistant/NAF particleboard
<b>LS07F</b>	Fire-rated particleboard
<b>LS07D</b>	Medium Density Fiberboard (MDF)
<b>LS07G</b>	Moisture-resistant/NAF MDF
<b>LS07H</b>	Fire-rated MDF
<b>LS07P</b>	Plywood

**LS07C, LS07M, LS07F, LS07D, LS07G and LS07H** available countertop thicknesses:  
21mm (13/16")  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS07F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS07H fire-rated MDF)


#### LS07P available countertop thicknesses:

- 20mm (3/4")
- 27mm (1-1/16")
- 40mm (1-9/16")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### LS10

Example:  
LS10C2721



### LS10 LAMINATE

- 90° postform edge top
- Integral coved 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

<b>LS10C</b>	TSCA particleboard
<b>LS10M</b>	Moisture-resistant/NAF particleboard
<b>LS10F</b>	Fire-rated particleboard
<b>LS10D</b>	Medium Density Fiberboard (MDF)
<b>LS10G</b>	Moisture-resistant/NAF MDF
<b>LS10H</b>	Fire-rated MDF

**LS10C, LS10M, LS10F, LS10D, LS10G and LS10H** available countertop thicknesses:  
21mm (13/16")  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS10F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS10H fire-rated MDF)

# COUNTERTOPS


## Laminate Series

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash



### LS11

Example:  
LS11C2721



### LS11 LAMINATE

- 3mm edge top
- Integral coved 3mm edge backsplash
- Applied 3mm edge endsplash

#### Series/Core Codes:

- LS11C** TSCA particleboard  
**LS11M** Moisture-resistant/NAF particleboard  
**LS11F** Fire-rated particleboard  
**LS11D** Medium Density Fiberboard (MDF)  
**LS11G** Moisture-resistant/NAF MDF  
**LS11H** Fire-rated MDF  
**LS11P** Plywood

**LS11C, LS11M, LS11F, LS11D, LS11G and LS11H** available countertop thicknesses:  
 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS11F fire-rated particleboard)  
 40mm (1-9/16")\* (n/a for LS11H fire-rated MDF)


#### LS11P available countertop thicknesses:

- 20mm (3/4")  
 27mm (1-1/16")  
 40mm (1-9/16")\*

\*edges: specific patterns only

### LS15

Example:  
LS15C2721



### LS15 LAMINATE

- 180° postform edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

- LS15C** TSCA particleboard  
**LS15M** Moisture-resistant/NAF particleboard  
**LS15F** Fire-rated particleboard  
**LS15D** Medium Density Fiberboard (MDF)  
**LS15G** Moisture-resistant/NAF MDF  
**LS15H** Fire-rated MDF

**LS15C, LS15M, LS15F, LS15D, LS15G and LS15H** available countertop thicknesses:  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS15F fire-rated particleboard)  
 40mm (1-9/16") (n/a for LS15H fire-rated MDF)




# COUNTERTOPS

## Laminate Series

LT = Laminate Top  
LB = Laminate Backsplash  
LE = Laminate Endsplash

### LS16

Example:  
**LS16C2721**



### LS16 LAMINATE

- 180° postform edge top
- Integral coved 90° postform edge backsplash
- Applied self edge endsplash

### Series/Core Codes:

<b>LS16C</b>	TSCA particleboard
<b>LS16M</b>	Moisture-resistant/NAF particleboard
<b>LS16F</b>	Fire-rated particleboard
<b>LS16D</b>	Medium Density Fiberboard (MDF)
<b>LS16G</b>	Moisture-resistant/NAF MDF
<b>LS16H</b>	Fire-rated MDF

**LS16C, LS16M, LS16F, LS16D, LS16G and LS16H**  
available countertop thicknesses:  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS16F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS16H fire-rated MDF)

# COUNTERTOPS


Laminate Series  
Chemsurf

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash



## LS25

Example:  
LS25C2721



### LS25 LAMINATE

- Chemsurf face laminate
- 3mm edge top
- Applied 3mm edge backsplash and endsplash

#### Series/Core Codes:

- LS25C** TSCA particleboard  
**LS25M** Moisture-resistant/NAF particleboard  
**LS25F** Fire-rated particleboard  
**LS25D** Medium Density Fiberboard (MDF)  
**LS25G** Moisture-resistant/NAF MDF  
**LS25H** Fire-rated MDF  
**LS25P** Plywood

**LS25C, LS25M, LS25F, LS25D, LS25G and LS25H** available countertop thicknesses:  
21mm (13/16")  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS25F fire-rated particleboard)  
40mm (1-9/16")\* (n/a for LS25H fire-rated MDF)


**LS25P** available countertop thicknesses:

- 20mm (3/4")  
27mm (1-1/16")  
40mm (1-9/16")\*

\*edges: specific patterns only

## LS26

Example:  
LS26C2721



### LS26 LAMINATE

- Chemsurf face laminate
- Self edge top
- Applied self edge backsplash and endsplash

#### Series/Core Codes:

- LS26C** TSCA particleboard  
**LS26M** Moisture-resistant/NAF particleboard  
**LS26F** Fire-rated particleboard  
**LS26D** Medium Density Fiberboard (MDF)  
**LS26G** Moisture-resistant/NAF MDF  
**LS26H** Fire-rated MDF  
**LS26P** Plywood

**LS26C, LS26M, LS26F, LS26D, LS26G and LS26H** available countertop thicknesses:  
21mm (13/16")  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS26F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS26H fire-rated MDF)

**LS26P** available countertop thicknesses:

- 20mm (3/4")  
27mm (1-1/16")  
40mm (1-9/16")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*



# COUNTERTOPS


Laminate Series  
Wood Edge Top

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash

## LS60


(Stevens preferred)

Example:  
LS60C2721



## LS64

Example:  
LS64C2721



### LS60 LAMINATE WITH WOOD EDGE

- 3R/3R profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

<b>LS60C</b>	TSCA particleboard
<b>LS60M</b>	Moisture-resistant/NAF particleboard
<b>LS60F</b>	Fire-rated particleboard
<b>LS60D</b>	Medium Density Fiberboard (MDF)
<b>LS60G</b>	Moisture-resistant/NAF MDF
<b>LS60H</b>	Fire-rated MDF

**LS60C, LS60M, LS60F, LS60D, LS60G and LS60H** available countertop thicknesses:

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for LS60F fire-rated particleboard)
- 40mm (1-9/16") (n/a for LS60H fire-rated MDF)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards

### LS64 LAMINATE WITH WOOD EDGE

- 6R/6R profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

<b>LS64C</b>	TSCA particleboard
<b>LS64M</b>	Moisture-resistant/NAF particleboard
<b>LS64F</b>	Fire-rated particleboard
<b>LS64D</b>	Medium Density Fiberboard (MDF)
<b>LS64G</b>	Moisture-resistant/NAF MDF
<b>LS64H</b>	Fire-rated MDF

**LS64C, LS64M, LS64F, LS64D, LS64G and LS64H** available countertop thicknesses:

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for LS64F fire-rated particleboard)
- 40mm (1-9/16") (n/a for LS64H fire-rated MDF)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards

# COUNTERTOPS


## Laminate Series Wood Edge Top

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash



### LS65

Example:  
**LS65C2721**



### LS65 LAMINATE WITH WOOD EDGE

- 12B/0 profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

- LS65C** TSCA particleboard  
**LS65M** Moisture-resistant/NAF particleboard  
**LS65F** Fire-rated particleboard  
**LS65D** Medium Density Fiberboard (MDF)  
**LS65G** Moisture-resistant/NAF MDF  
**LS65H** Fire-rated MDF

**LS65C, LS65M, LS65F, LS65D, LS65G and LS65H** available countertop thicknesses:


- 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS65F fire-rated particleboard)  
 40mm (1-9/16") (n/a for LS65H fire-rated MDF)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards

### LS67

Example:  
**LS67C2721**



### LS67 LAMINATE WITH WOOD EDGE

- 12R/0 profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

- LS67C** TSCA particleboard  
**LS67M** Moisture-resistant/NAF particleboard  
**LS67F** Fire-rated particleboard  
**LS67D** Medium Density Fiberboard (MDF)  
**LS67G** Moisture-resistant/NAF MDF  
**LS67H** Fire-rated MDF

**LS67C, LS67M, LS67F, LS67D, LS67G and LS67H** available countertop thicknesses:

- 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS67F fire-rated particleboard)  
 40mm (1-9/16") (n/a for LS67H fire-rated MDF)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards




# COUNTERTOPS

Laminate Series  
Wood Edge Top

## LS68

Example:  
LS68C2721



LT = Laminate Top  
LB = Laminate Backsplash  
LE = Laminate Endsplash

### LS68 LAMINATE WITH WOOD EDGE

- 12R/12R profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

<b>LS68C</b>	TSCA particleboard
<b>LS68M</b>	Moisture-resistant/NAF particleboard
<b>LS68F</b>	Fire-rated particleboard
<b>LS68D</b>	Medium Density Fiberboard (MDF)
<b>LS68G</b>	Moisture-resistant/NAF MDF
<b>LS68H</b>	Fire-rated MDF

**LS68C, LS68M, LS68F, LS68D, LS68G and LS68H** available countertop thicknesses:


- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for LS68F fire-rated particleboard)
- 40mm (1-9/16") (n/a for LS68H fire-rated MDF)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards

## LS70

Example:  
LS70C2721



### LS70 LAMINATE WITH WOOD EDGE

- Bullnose profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

#### Series/Core Codes:

<b>LS70C</b>	TSCA particleboard
<b>LS70M</b>	Moisture-resistant/NAF particleboard
<b>LS70F</b>	Fire-rated particleboard
<b>LS70D</b>	Medium Density Fiberboard (MDF)
<b>LS70G</b>	Moisture-resistant/NAF MDF
<b>LS70H</b>	Fire-rated MDF

**LS70C, LS70M, LS70F, LS70D, LS70G and LS70H** available countertop thicknesses:

- 21mm (13/16")
- 27mm (1-1/16")
- 30mm (1-3/16") (n/a for LS70F fire-rated particleboard)

#### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards

# COUNTERTOPS


Laminate Series  
Wood Edge Top

**LT** = Laminate Top  
**LB** = Laminate Backsplash  
**LE** = Laminate Endsplash



**LS71**

Example:  
**LS71C2721**



## LS71 LAMINATE WITH WOOD EDGE

- 6R/0 profile wood edge top
- Applied 90° postform edge backsplash
- Applied self edge endsplash

### Series/Core Codes:

- LS71C** TSCA particleboard  
**LS71M** Moisture-resistant/NAF particleboard  
**LS71F** Fire-rated particleboard  
**LS71D** Medium Density Fiberboard (MDF)  
**LS71G** Moisture-resistant/NAF MDF  
**LS71H** Fire-rated MDF

**LS71C, LS71M, LS71F, LS71D, LS71G and LS71H** available countertop thicknesses:  
 21mm (13/16")  
 27mm (1-1/16")  
 30mm (1-3/16") (n/a for LS71F fire-rated particleboard)  
 40mm (1-9/16") (n/a for LS71H fire-rated MDF)

### Wood Edge available species and finishes:

- Species: maple, red oak, cherry
- Finishes: Stevens current standards




# COUNTERTOPS

## Solid Surface Series

### PS59


(Stevens preferred)

Example:  
PS59C2912



### PS60

Example:  
PS60C2912



### PS59 SOLID SURFACE

- Solid surface (polymer) materials
- 3R/3R profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS59C</b> | TSCA particleboard                   |
| <b>PS59M</b> | Moisture-resistant/NAF particleboard |
| <b>PS59F</b> | Fire-rated particleboard             |
| <b>PS59D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS59G</b> | Moisture-resistant/NAF MDF           |
| <b>PS59H</b> | Fire-rated MDF                       |
| <b>PS59P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS59C, PS59M, PS59F, PS59D, PS59G, PS59H** and **PS59P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS60 SOLID SURFACE

- Solid surface (polymer) materials
- 3R/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS60C</b> | TSCA particleboard                   |
| <b>PS60M</b> | Moisture-resistant/NAF particleboard |
| <b>PS60F</b> | Fire-rated particleboard             |
| <b>PS60D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS60G</b> | Moisture-resistant/NAF MDF           |
| <b>PS60H</b> | Fire-rated MDF                       |
| <b>PS60P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS60C, PS60M, PS60F, PS60D, PS60G, PS60H** and **PS60P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

**PT** = Solid Surface Top  
**PB** = Solid Surface Backsplash  
**PE** = Solid Surface Endsplash



### PS61

**Example:**  
**PS61C2912**



### PS61 SOLID SURFACE

- Solid surface (polymer) materials
- 6B/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS61C</b> | TSCA particleboard                   |
| <b>PS61M</b> | Moisture-resistant/NAF particleboard |
| <b>PS61F</b> | Fire-rated particleboard             |
| <b>PS61D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS61G</b> | Moisture-resistant/NAF MDF           |
| <b>PS61H</b> | Fire-rated MDF                       |
| <b>PS61P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:


- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS61C, PS61M, PS61F, PS61D, PS61G, PS61H and PS61P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS62

**Example:**  
**PS62C2912**



### PS62 SOLID SURFACE

- Solid surface (polymer) materials
- 6B/6B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS62C</b> | TSCA particleboard                   |
| <b>PS62M</b> | Moisture-resistant/NAF particleboard |
| <b>PS62F</b> | Fire-rated particleboard             |
| <b>PS62D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS62G</b> | Moisture-resistant/NAF MDF           |
| <b>PS62H</b> | Fire-rated MDF                       |
| <b>PS62P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS62C, PS62M, PS62F, PS62D, PS62G, PS62H and PS62P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Solid Surface Series

### PS63

Example:  
PS63C2912



### PS63 SOLID SURFACE

- Solid surface (polymer) materials
- 6R/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS63C</b> | TSCA particleboard                   |
| <b>PS63M</b> | Moisture-resistant/NAF particleboard |
| <b>PS63F</b> | Fire-rated particleboard             |
| <b>PS63D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS63G</b> | Moisture-resistant/NAF MDF           |
| <b>PS63H</b> | Fire-rated MDF                       |
| <b>PS63P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |


**PS63C, PS63M, PS63F, PS63D, PS63G, PS63H** and **PS63P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS64

Example:  
PS64C2912



### PS64 SOLID SURFACE

- Solid surface (polymer) materials
- 6R/6R profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS64C</b> | TSCA particleboard                   |
| <b>PS64M</b> | Moisture-resistant/NAF particleboard |
| <b>PS64F</b> | Fire-rated particleboard             |
| <b>PS64D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS64G</b> | Moisture-resistant/NAF MDF           |
| <b>PS64H</b> | Fire-rated MDF                       |
| <b>PS64P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS64C, PS64M, PS64F, PS64D, PS64G, PS64H** and **PS64P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

**PT** = Solid Surface Top  
**PB** = Solid Surface Backsplash  
**PE** = Solid Surface Endsplash



### PS65

**Example:**  
**PS65C2912**



### PS65 SOLID SURFACE

- Solid surface (polymer) materials
- 12B/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS65C</b> | TSCA particleboard                   |
| <b>PS65M</b> | Moisture-resistant/NAF particleboard |
| <b>PS65F</b> | Fire-rated particleboard             |
| <b>PS65D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS65G</b> | Moisture-resistant/NAF MDF           |
| <b>PS65H</b> | Fire-rated MDF                       |
| <b>PS65P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |


**PS65C, PS65M, PS65F, PS65D, PS65G, PS65H** and **PS65P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS66

**Example:**  
**PS66C2912**



### PS66 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS66C</b> | TSCA particleboard                   |
| <b>PS66M</b> | Moisture-resistant/NAF particleboard |
| <b>PS66F</b> | Fire-rated particleboard             |
| <b>PS66D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS66G</b> | Moisture-resistant/NAF MDF           |
| <b>PS66H</b> | Fire-rated MDF                       |
| <b>PS66P</b> | Plywood                              |

#### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS66C, PS66M, PS66F, PS66D, PS66G, PS66H** and **PS66P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Solid Surface Series

### PS67

Example:  
PS67C2912



### PS67 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/6R profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

<b>PS67C</b>	TSCA particleboard
<b>PS67M</b>	Moisture-resistant/NAF particleboard
<b>PS67F</b>	Fire-rated particleboard
<b>PS67D</b>	Medium Density Fiberboard (MDF)
<b>PS67G</b>	Moisture-resistant/NAF MDF
<b>PS67H</b>	Fire-rated MDF
<b>PS67P</b>	Plywood

#### Backsplash and Endsplash Model/Core Codes:

<b>PB72S</b>	Solid
<b>PE72S</b>	Solid


**PS67C, PS67M, PS67F, PS67D, PS67G, PS67H** and **PS67P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS68

Example:  
PS68C2912



### PS68 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/12R profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

#### Series/Core Substrate Codes:

<b>PS68C</b>	TSCA particleboard
<b>PS68M</b>	Moisture-resistant/NAF particleboard
<b>PS68F</b>	Fire-rated particleboard
<b>PS68D</b>	Medium Density Fiberboard (MDF)
<b>PS68G</b>	Moisture-resistant/NAF MDF
<b>PS68H</b>	Fire-rated MDF
<b>PS68P</b>	Plywood

#### Backsplash and Endsplash Model/Core Codes:

<b>PB72S</b>	Solid
<b>PE72S</b>	Solid

**PS68C, PS68M, PS68F, PS68D, PS68G, PS68H** and **PS68P** available countertop thicknesses:

29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

**PT** = Solid Surface Top  
**PB** = Solid Surface Backsplash  
**PE** = Solid Surface Endsplash



### PS72

**Example:**  
**PS72C2912**



### PS72 SOLID SURFACE

- Solid surface (polymer) materials
- .5B/.5B profile edge top
- Applied .5B/0 profile edge backsplash and endsplash

### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS72C</b> | TSCA particleboard                   |
| <b>PS72M</b> | Moisture-resistant/NAF particleboard |
| <b>PS72F</b> | Fire-rated particleboard             |
| <b>PS72D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS72G</b> | Moisture-resistant/NAF MDF           |
| <b>PS72H</b> | Fire-rated MDF                       |
| <b>PS72P</b> | Plywood                              |

### Backsplash and Endsplash Model/Core Codes:

- |              |       |
|--------------|-------|
| <b>PB72S</b> | Solid |
| <b>PE72S</b> | Solid |

**PS72C, PS72M, PS72F, PS72D, PS72G, PS72H** and **PS72P** available countertop thicknesses:

- 29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Solid Surface Series

### PS79

(Stevens preferred)

Example:  
PS79C2912



**PT** = Solid Surface Top  
**PE** = Solid Surface Endsplash

### PS79 SOLID SURFACE

- Solid surface (polymer) materials
- 3R/3R profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS79C</b> | TSCA particleboard                   |
| <b>PS79M</b> | Moisture-resistant/NAF particleboard |
| <b>PS79F</b> | Fire-rated particleboard             |
| <b>PS79D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS79G</b> | Moisture-resistant/NAF MDF           |
| <b>PS79H</b> | Fire-rated MDF                       |
| <b>PS79P</b> | Plywood                              |

#### Endsplash Model/Core Code:


**PE72S** Solid

**PS79C, PS79M, PS79F, PS79D, PS79G, PS79H** and **PS79P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS80

Example:  
PS80C2912



### PS80 SOLID SURFACE

- Solid surface (polymer) materials
- 3R/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS80C</b> | TSCA particleboard                   |
| <b>PS80M</b> | Moisture-resistant/NAF particleboard |
| <b>PS80F</b> | Fire-rated particleboard             |
| <b>PS80D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS80G</b> | Moisture-resistant/NAF MDF           |
| <b>PS80H</b> | Fire-rated MDF                       |
| <b>PS80P</b> | Plywood                              |

#### Endsplash Model/Core Code:

**PE72S** Solid

**PS80C, PS80M, PS80F, PS80D, PS80G, PS80H** and **PS80P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

PT = Solid Surface Top  
PE = Solid Surface Endsplash



### PS81

**Example:**  
**PS81C2912**



### PS81 SOLID SURFACE

- Solid surface (polymer) materials
- 6B/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- PS81C** TSCA particleboard  
**PS81M** Moisture-resistant/NAF particleboard  
**PS81F** Fire-rated particleboard  
**PS81D** Medium Density Fiberboard (MDF)  
**PS81G** Moisture-resistant/NAF MDF  
**PS81H** Fire-rated MDF  
**PS81P** Plywood

#### Endsplash Model/Core Code:


- PE72S** Solid

**PS81C, PS81M, PS81F, PS81D, PS81G, PS81H and PS81P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS82

**Example:**  
**PS82C2912**



### PS82 SOLID SURFACE

- Solid surface (polymer) materials
- 6B/6B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- PS82C** TSCA particleboard  
**PS82M** Moisture-resistant/NAF particleboard  
**PS82F** Fire-rated particleboard  
**PS82D** Medium Density Fiberboard (MDF)  
**PS82G** Moisture-resistant/NAF MDF  
**PS82H** Fire-rated MDF  
**PS82P** Plywood

#### Endsplash Model/Core Code:

- PE72S** Solid

**PS82C, PS82M, PS82F, PS82D, PS82G, PS82H and PS82P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Solid Surface Series

### PS83

Example:  
PS83C2912



**PT** = Solid Surface Top  
**PE** = Solid Surface Endsplash

### PS83 SOLID SURFACE

- Solid surface (polymer) materials
- 6R/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS83C</b> | TSCA particleboard                   |
| <b>PS83M</b> | Moisture-resistant/NAF particleboard |
| <b>PS83F</b> | Fire-rated particleboard             |
| <b>PS83D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS83G</b> | Moisture-resistant/NAF MDF           |
| <b>PS83H</b> | Fire-rated MDF                       |
| <b>PS83P</b> | Plywood                              |

#### Endsplash Model/Core Code:


**PE72S** Solid

**PS83C, PS83M, PS83F, PS83D, PS83G, PS83H** and **PS83P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS84

Example:  
PS84C2912



### PS84 SOLID SURFACE

- Solid surface (polymer) materials
- 6R/6R profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS84C</b> | TSCA particleboard                   |
| <b>PS84M</b> | Moisture-resistant/NAF particleboard |
| <b>PS84F</b> | Fire-rated particleboard             |
| <b>PS84D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS84G</b> | Moisture-resistant/NAF MDF           |
| <b>PS84H</b> | Fire-rated MDF                       |
| <b>PS84P</b> | Plywood                              |

#### Endsplash Model/Core Code:

**PE72S** Solid

**PS84C, PS84M, PS84F, PS84D, PS84G, PS84H** and **PS84P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

PT = Solid Surface Top  
PE = Solid Surface Endsplash



### PS85

Example:  
**PS85C2912**



### PS85 SOLID SURFACE

- Solid surface (polymer) materials
- 12B/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- PS85C** TSCA particleboard  
**PS85M** Moisture-resistant/NAF particleboard  
**PS85F** Fire-rated particleboard  
**PS85D** Medium Density Fiberboard (MDF)  
**PS85G** Moisture-resistant/NAF MDF  
**PS85H** Fire-rated MDF  
**PS85P** Plywood

#### Endsplash Model/Core Code:


- PE72S** Solid

**PS85C, PS85M, PS85F, PS85D, PS85G, PS85H and PS85P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS86

Example:  
**PS86C2912**



### PS86 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- PS86C** TSCA particleboard  
**PS86M** Moisture-resistant/NAF particleboard  
**PS86F** Fire-rated particleboard  
**PS86D** Medium Density Fiberboard (MDF)  
**PS86G** Moisture-resistant/NAF MDF  
**PS86H** Fire-rated MDF  
**PS86P** Plywood

#### Endsplash Model/Core Code:

- PE72S** Solid

**PS86C, PS86M, PS86F, PS86D, PS86G, PS86H and PS86P** available countertop thicknesses:  
 29mm (1-1/8")  
 38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Solid Surface Series

### PS87

Example:  
PS87C2912



### PS87 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/6R profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS87C</b> | TSCA particleboard                   |
| <b>PS87M</b> | Moisture-resistant/NAF particleboard |
| <b>PS87F</b> | Fire-rated particleboard             |
| <b>PS87D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS87G</b> | Moisture-resistant/NAF MDF           |
| <b>PS87H</b> | Fire-rated MDF                       |
| <b>PS87P</b> | Plywood                              |

#### Endsplash Model/Core Code:


- PE72S** Solid

**PS87C, PS87M, PS87F, PS87D, PS87G, PS87H** and **PS87P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

### PS88

Example:  
PS88C2912



### PS88 SOLID SURFACE

- Solid surface (polymer) materials
- 12R/12R profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

#### Series/Core Substrate Codes:

- |              |                                      |
|--------------|--------------------------------------|
| <b>PS88C</b> | TSCA particleboard                   |
| <b>PS88M</b> | Moisture-resistant/NAF particleboard |
| <b>PS88F</b> | Fire-rated particleboard             |
| <b>PS88D</b> | Medium Density Fiberboard (MDF)      |
| <b>PS88G</b> | Moisture-resistant/NAF MDF           |
| <b>PS88H</b> | Fire-rated MDF                       |
| <b>PS88P</b> | Plywood                              |

#### Endsplash Model/Core Code:

- PE72S** Solid

**PS88C, PS88M, PS88F, PS88D, PS88G, PS88H** and **PS88P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*

# COUNTERTOPS


## Solid Surface Series

PT = Solid Surface Top  
PE = Solid Surface Endsplash



### PS92

Example:  
**PS92C2912**



### PS92 SOLID SURFACE

- Solid surface (polymer) materials
- .5B/.5B profile edge top
- Integral coved .5B/0 profile edge backsplash
- Applied .5B/0 profile edge endsplash

### Series/Core Substrate Codes:

- PS92C** TSCA particleboard  
**PS92M** Moisture-resistant/NAF particleboard  
**PS92F** Fire-rated particleboard  
**PS92D** Medium Density Fiberboard (MDF)  
**PS92G** Moisture-resistant/NAF MDF  
**PS92H** Fire-rated MDF  
**PS92P** Plywood

### Endsplash Model/Core Code:

**PE72S** Solid

**PS92C, PS92M, PS92F, PS92D, PS92G, PS92H** and **PS92P** available countertop thicknesses:  
29mm (1-1/8")  
38mm (1-1/2")

*Drop edge available upon special request in 1/2" increments, from 2" to 6". Drop edge not available over casework.*




# COUNTERTOPS

## Epoxy Resin Series

### ES00

Example:  
**ES00AW1919**



### ES00 EPOXY RESIN

- Solid epoxy resin
- 3mm bevel/radius edges with smooth edge finish
- Applied backsplash and endsplash
- Drip groove
- Butt joints and attachment with field applied epoxy sealant and adhesives
- Epoxy resin coordinated sinks where specified
- Factory fabricated cutouts and drillings


#### Series/Color Codes:

- ES00AW** Antique White  
**ES00BL** Black  
**ES00DK** Dark Khaki  
**ES00GR** Grey  
**ES00PL** Platinum  
**ES00SA** Sandstone

**ES00** available countertop thicknesses:  
 19mm (3/4")  
 25mm (1")

### ES02

Example:  
**ES02AW2519**



### ES02 EPOXY RESIN

- Solid epoxy resin
- Lipped marine edge
- 3mm bevel/radius edges with smooth edge finish
- Applied backsplash and endsplash
- Butt joints and attachment with field applied epoxy sealant and adhesives
- Epoxy resin coordinated sinks where specified
- Factory fabricated cutouts and drillings

#### Series/Color Codes:

- ES02AW** Antique White  
**ES02BL** Black  
**ES02DK** Dark Khaki  
**ES02GR** Grey  
**ES02PL** Platinum  
**ES02SA** Sandstone

**ES02** available countertop thickness:  
 25mm (1")

# COUNTERTOPS


## Hardwood Series

WT = Hardwood Top  
WB = Hardwood Backsplash  
WE = Hardwood Endsplash



### WD00

Example:  
**WD00S3819**



### WD00 HARDWOOD

- Fabricated from laminated kiln dried hard maple lumber
- Industrial grade with butt joints and edge grain fabrication (butcher block) design
- Edges sanded smooth with top and bottom corners broken
- Faces and edges sealed with varnish finish

#### Series/Core Code:

**WD00S** Solid hard maple

**WD00S** available countertop thicknesses:

38mm (1-1/2")

44mm (1-3/4")

**Note:** Laminated maple lumber tops are susceptible to changes due to moisture, heat and cold conditions. Warpage and edge splitting may occur under unusual field conditions. Wood tops should only be delivered and installed after project HVAC systems are working and balanced for normal interior conditions. Never store or use in high or low humidity with cyclical conditions.




# COUNTERTOPS

## Stainless Steel Series

ST = Stainless Steel Top

### SS00

Example:  
**SS00P2725**



### SS00 STAINLESS STEEL


- Formed edge design with integral cove
- Fabricated from 16-gauge 304 stainless steel
- Formed edges and bends with welded and polished corners
- Can be fabricated with or without backsplash or endsplash

#### Series/Core Codes:

**SS00P** Plywood  
**SS00R** Stainless Steel Rail

**SS00P** and **SS00R** available countertop thickness:  
27mm (1-1/16")

Example:  
**SS00R2725**



# COUNTERTOPS


## Stainless Steel Series

ST = Stainless Steel Top



### SS01

**Example:**  
**SS01P3225**



### SS01 STAINLESS STEEL

- Marine edge design with integral cove
- Fabricated from 16-gauge 304 stainless steel
- Formed edges and bends with welded and polished corners
- Can be fabricated with or without backsplash or endsplash


#### Series/Core Codes:

**SS01P** Plywood

**SS01R** Stainless Steel Rail

**SS01P** and **SS01R** available countertop thickness:  
32mm (1-1/4")

**Example:**  
**SS01R3225**






# COUNTERTOPS

## Phenolic Series

### AP00

Example:  
AP00S1919



### AP00 PHENOLIC

- Solid phenolic core with decorative face pattern
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash

#### Series/Core Code:


**AP00S** Solid

#### AP00S available countertop thickness:

19mm (3/4")  
25mm (1")

### AP01

Example:  
AP01S1919



### AP01 PHENOLIC

- Solid phenolic core with black acid resistant face
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash

#### Series/Core Code:

**AP01S** Solid

#### AP01S available countertop thickness:

19mm (3/4")  
25mm (1")

# COUNTERTOPS


## Phenolic Series

**AT** = Phenolic Top  
**AB** = Phenolic Backsplash  
**AE** = Phenolic Endsplash



### AP02

Example:  
AP02S1919



### AP02 PHENOLIC

- Solid phenolic core with decorative acid resistant face
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash


#### Series/Core Code:

**AP02S** Solid

**AP02S** available countertop thickness:  
19mm (3/4")  
25mm (1")

### AP03

Example:  
AP03S1919



### AP03 PHENOLIC

- Solid phenolic core with decorative face pattern
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash
- Drip groove

#### Series/Core Code:

**AP03S** Solid

**AP03S** available countertop thickness:  
19mm (3/4")  
25mm (1")




# COUNTERTOPS

## Phenolic Series

### AP04

Example:  
AP04S1919



### AP04 PHENOLIC

- Solid phenolic core with black acid resistant face
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash
- Drip groove


#### Series/Core Code:

**AP04S** Solid

**AP04S** available countertop thickness:  
19mm (3/4")  
25mm (1")

### AP05

Example:  
AP05S1919



### AP05 PHENOLIC

- Solid phenolic core with decorative acid resistant face
- 3mm bevel/radius edges, polished for consistent edge look
- Applied backsplash and endsplash
- Drip groove

#### Series/Core Code:

**AP05S** Solid

**AP05S** available countertop thickness:  
19mm (3/4")  
25mm (1")

# COUNTERTOPS


## Granite Series

**GT** = Granite Top  
**GB** = Granite Backsplash  
**GE** = Granite Endsplash



### GS00

**Example:**  
**GS00S20**



### GS00 GRANITE

- Solid granite
- Straight Polish/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**GS00S** Solid


**GS00S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")

### GS01

**Example:**  
**GS01S20**



### GS01 GRANITE

- Solid granite
- Bevel ( $\pm 1/4"$ )/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**GS01S** Solid

**GS01S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")




# COUNTERTOPS

## Granite Series

GT = Granite Top  
GB = Granite Backsplash  
GE = Granite Endsplash

### GS02

Example:  
**GS02S2020**



### GS02 GRANITE

- Solid granite
- Half Bullnose/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**GS02S** Solid

#### GS02S available countertop thicknesses:

20mm / 2cm (3/4")  
30mm / 3cm (1-3/16")

# COUNTERTOPS


## Marble Series

MT = Marble Top  
MB = Marble Backsplash  
ME = Marble Endsplash



### MS00

Example:  
**MS00S2020**



### MS00 MARBLE

- Solid marble
- Straight Polish/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**MS00S** Solid


**MS00S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")

### MS01

Example:  
**MS01S2020**



### MS01 MARBLE

- Solid marble
- Bevel ( $\pm 1/4"$ )/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**MS01S** Solid

**MS01S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")




# COUNTERTOPS

## Marble Series

MT = Marble Top  
MB = Marble Backsplash  
ME = Marble Endsplash

### MS02

Example:  
**MS02S2020**



### MS02 MARBLE

- Solid marble
- Half Bullnose/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**MS02S** Solid

**MS02S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")

# COUNTERTOPS


## Quartz Series

**QT** = Quartz Top  
**QB** = Quartz Backsplash  
**QE** = Quartz Endsplash



### QS00

**Example:**  
**QS00S20**



### QS00 QUARTZ

- Solid quartz
- Straight Polish/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

**QS00S** Solid


**QS00S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")

### QS01

**Example:**  
**QS01S20**



### QS01 QUARTZ

- Solid quartz
- Bevel ( $\pm 1/4"$ )/Straight Polish profile edge top
- Applied Straight Polish edge backsplash and endsplash

#### Series/Core Code:

**QS01S** Solid

**QS01S** available countertop thicknesses:

20mm / 2cm (3/4")

30mm / 3cm (1-3/16")




# COUNTERTOPS

## Quartz Series

QT = Quartz Top  
QB = Quartz Backsplash  
QE = Quartz Endsplash

### QS02

Example:  
QS02S2020



### QS02 QUARTZ

- Solid quartz
- Half Bullnose/Straight Polish profile edge top
- Applied Straight Polish profile edge backsplash and endsplash

#### Series/Core Code:

QS02S Solid

#### QS02S available countertop thicknesses:

20mm / 2cm (3/4")  
30mm / 3cm (1-3/16")

# WINDOWSILLS


## Laminate Series

LT = Laminate Top



### LS50

Example:  
LS50C27



### LS50 LAMINATE WINDOWSILL

- Self edge

#### Series/Core Codes:

<b>LS50C</b>	TSCA particleboard
<b>LS50M</b>	Moisture-resistant/NAF particleboard
<b>LS50F</b>	Fire-rated particleboard
<b>LS50D</b>	Medium Density Fiberboard (MDF)
<b>LS50G</b>	Moisture-resistant/NAF MDF
<b>LS50H</b>	Fire-rated MDF
<b>LS50P</b>	Plywood


**LS50C, LS50M, LS50F, LS50D, LS50G and LS50H**  
available windowsill thicknesses:

21mm (13/16")  
27mm (1-1/16")  
30mm (1-3/16") (n/a for LS50F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS50H fire-rated MDF)

**LS50P** available windowsill thicknesses:

20mm (3/4")  
27mm (1-1/16")  
40mm (1-9/16")

*Drop edge available upon special request. Stevens standard drop edge:*



The diagram shows two variations of a windowsill with a drop edge. Both variations feature a "Self Edge HGS" on the left side and a "Backer" layer underneath. The top surface is labeled "HGS" and "LT07C21 TOP" or "LT07C27 TOP". The height of the drop edge is indicated by a vertical dimension: 1 9/16" (40mm) on the left variation and 1 1/16" (27mm) on the right variation. The front edge of the drop edge is also labeled "Self Edge HGS". A note states "same thickness as top" for both variations.

*NOTE: For 30mm and 40mm windowsill thicknesses,  
height of drop edge will be a custom size.*




# WINDOWSILLS

LT = Laminate Top

Laminate Series

## LS51

Example:  
LS51C27



### LS51 LAMINATE WINDOWSILL

- 90° postform edge

#### Series/Core Codes:

- LS51C** TSCA particleboard
- LS51M** Moisture-resistant/NAF particleboard
- LS51F** Fire-rated particleboard
- LS51D** Medium Density Fiberboard (MDF)
- LS51G** Moisture-resistant/NAF MDF
- LS51H** Fire-rated MDF

**LS51C, LS51M, LS51F, LS51D, LS51G and LS51H** available windowsill thicknesses:

21mm (13/16")

27mm (1-1/16")

30mm (1-3/16") (n/a for LS51F fire-rated particleboard)

40mm (1-9/16") (n/a for LS51H fire-rated MDF)

*Drop edge available upon special request for 21mm and 27mm windowsill thicknesses. Stevens standard drop edge:*

90° Seamless Postform  
13mm Radius  
Horizontal .042 PF HPL  
LT00C21 TOP  
Backer  
Drop Edge thickness must be >1"

90° Seamless Postform  
13mm Radius  
Horizontal .042 PF HPL  
LT00C27 TOP  
Backer  
Drop Edge thickness must be >1"

*NOTE: Drop edge not available for 30mm and 40mm windowsill thicknesses.*

# WINDOWSILLS


## Laminate Series

LT = Laminate Top



### LS52

Example:  
LS52C27



### LS52 LAMINATE WINDOWSILL

- 180° postform edge


#### Series/Core Codes:

- LS52C** TSCA particleboard  
**LS52M** Moisture-resistant/NAF particleboard  
**LS52F** Fire-rated particleboard  
**LS52D** Medium Density Fiberboard (MDF)  
**LS52G** Moisture-resistant/NAF MDF  
**LS52H** Fire-rated MDF

**LS52C, LS52M, LS52F, LS52D, LS52G and LS52H** available windowsill thicknesses:

- 27mm (1-1/16")  
30mm (1-3/16") (n/a for LS52F fire-rated particleboard)  
40mm (1-9/16") (n/a for LS52H fire-rated MDF)

*Drop edge available upon special request for 27mm windowsill thickness.  
Stevens standard drop edge:*



*NOTE: Drop edge not available for 30mm and 40mm windowsill thicknesses.*




# WINDOWSILLS

**PT = Solid Surface Top**

Solid Surface Series

## PS10

Example:  
PS10S12



### PS10 SOLID SURFACE WINDOWSILL



- Solid surface (polymer) materials
- 3R/3R profile edge

**Series/Core Code:**

**PS10S** Solid


**PS10S** available thickness:  
12mm (1/2")

*Drop edge available upon special request. Stevens standard drop edges:*



## PS11

Example:  
PS11S12



### PS11 SOLID SURFACE WINDOWSILL



- Solid surface (polymer) materials
- 3R/.5B profile edge

**Series/Core Code:**

**PS11S** Solid

**PS11S** available thickness:  
12mm (1/2")

*Drop edge available upon special request. Stevens standard drop edges:*



# WINDOWSILLS


## Solid Surface Series

PT = Solid Surface Top



### PS12

Example:  
PS12S12



### PS12 SOLID SURFACE WINDOWSILL

- Solid surface (polymer) materials
- 6R/6R profile edge


#### Series/Core Code:

PS12S Solid

PS12S available thickness:  
12mm (1/2")

### PS13

Example:  
PS13S12



### PS13 SOLID SURFACE WINDOWSILL

- Solid surface (polymer) materials
- .5B/.5B profile edge

#### Series/Core Code:

PS13S Solid

PS13S available thickness:  
12mm (1/2")

*Drop edge available upon special request. Stevens standard drop edges:*

