
UPDATE HISTORY



Home Arts Section



UPDATE HISTORY

Home Arts Section



MODEL #	TYPE OF UPDATE	DESCRIPTION OF UPDATE	CATALOG PAGE #
	Description	Changed "Available Top Series" to "Suggested Top Series" on charts; added note at top of page: "See Countertop section for available top series"; changed PS60 suggested top series to PS59 (profile edge did not change)	4,5,6,7,8,9,12,32,33
	Description	Added note: demonstration mobiles with mirror are designed to roll through standard 6'8" doorway.	14
10688	Dimensions	Added 32H	22
10689	Dimensions	Added 32H	22
10694	Dimensions	Added 32H	22
10958	Dimensions	Revised mirror frame dimensions	25
10959	Dimensions	Revised mirror frame dimensions	25
35008	Dimensions	Deleted 32H; added 29H	27
35010	Dimensions	Deleted 32H; added 29H	27



HOME ARTS

Commercial Cabinetry and Millwork




Table of Contents

HOME ARTS – CULINARY

Cooking/Food Preparation4-5
Demonstration Island6-11
Desk Extension12-13
Demonstration Mobile14
Cooking/Baking15-16
Food Storage17
Pan/Tray Storage18
Broom/Utility Storage19
Pantry Storage19


©2017 Stevens Industries, Inc.

Due to continuing product development, Stevens reserves the right to change specifications without notice.

HOME ARTS

Commercial Cabinetry and Millwork








HOME ARTS

Commercial Cabinetry and Millwork





Cooking/Food Preparation


See Countertop section for available top series.

Prep and Cooking Extension	Prep	and	Coo	king	Exte	nsior
----------------------------	------	-----	-----	------	------	-------

W H D 86 36 108

Peninsula Extension Only (without wall perimeter base units) May be used as an insert extension along a wall perimeter base cabinet run, allowing 30" gap between base units, in location required. Sink Kit Available Separately (see below) Cooktop Not Included

35103




Cooking	Ext	ens	ion
	W	Н	D
	86	36	108

Peninsula Extension Only (without wall perimeter base units) May be used as an insert extension along a wall perimeter base cabinet run, allowing 30" gap between base units, in location required. Cooktop Not Included

SUGC	JESTED TOP SERIES
Series	Description
LS05_27	1 ¹ /16" High Pressure Laminate with 3mm Edge
LS25_27	11/16" High Pressure Chemsurf Laminate with 3mm Edge
PS <mark>59</mark> _29	1 ¹ /8" Solid Surface with 3R/3R Profile Edge

35101



Cooking/Food Preparation

See Countertop section for available top series.

W

86

Peninsula Extension Only

30" gap between base units,

W

2 Drawers: 61/8"H Fronts

39 35

Adjustable Shelves

(2) 10441

(2) 10370

(1) 10479

Available Separately: 35600

н D

Center Divider

21 35 18

30 35 24

61/8"H False Front

4 Equal Drawers

18

Doors

Doors


Sink Kit 52SL17519AGR Stainless Steel Sink 52J35 Strainer 52311 H & C Single Lever Chrome Faucet

in location required.

35123

н D

36 112



Series

LS05_27

LS25_27

PS59_29



Demonstration Island

SUGGESTED TOP SERIES	Demonstration Island	Demonstration Island
Series Description LS05_27 1 ¹ /16" High Pressure Laminate	(Prep and Baking)	(Prep and Baking)
LS25_27 11/16" High Pressure Chemsurf Laminate	W H D 86 36 30	W H D 86 36 30
with 3mm Edge PS59_29 11/8" Solid Surface with 3R/3R Profile Edge	GFI Receptacle (field cut and installed) Sink Kit and Mirror Available Separately (see below)	GFI Receptacle (field cut and installed Sink Kit and Mirror Available Separately (see below)
	35140	35141
	INCLUDES: W H D (1) 35183 24 35 28 6½"H False Front Left Hinge Door (1) 35185 36 35 28 Drawer: 6½"H Front Doors Rollout Shelves (1) 35187 24 35 28 Drawer: 6½"H Front Right Hinge Door ¼" Adjustable and Removable Vertical Dividers 5 Vertical Compartments (2) 10868 Overlay Finished Backs	INCLUDES: W H C (1) 35188 24 35 24 Drawer: 61/8"H From Left Hinge Doo 1/4" Adjustable and Removable Vertical Divider 5 Vertical Compartment (1) 35185 36 35 24 Drawer: 61/8"H From Door Rollout Shelvee (1) 35182 24 35 24 61/8"H False From Right Hinge Doo (2) 10868 Overlay Finisher Back
	Available Separately: 35600 Sink Kit 52SL17519AGR Stainless Steel Sink 52J35 Strainer 52311 H & C Single Lever Chrome Faucet	Available Separately: 35600 Sink K 52SL17519AG Stainless Steel Sin 52J35 Straine 52311 H & C Singl Lever Chrome Fauce
	10960 59 76 26 Demonstration Mirror	10960 59 76 24 Demonstration Mirro

Demonstration Island



SUG	GESTED TOP SERIES	Demonstration Island	Demonstration Island
Series	Description	(Prep and Baking)	(Prep and Baking)
LS05_27	11/16" High Pressure Laminate with 3mm Edge	W H D	W H D
LS25_27	11/16" High Pressure Chemsurf Laminate with 3mm Edge	98 36 30	98 36 30
PS59_29	11/e" Solid Surface with 3R/3R Profile Edge	GFI Receptacle (field cut and installed) Sink Kit and Mirror Available Separately (see below)	GFI Receptacle (field cut and installed) Sink Kit and Mirror Available Separately (see below)
		35142	35143
		 INCLUDES: W H D (1) 35183 24 35 28 ⁶¹⁄₆"H False Front Left Hinge Door (1) 35180 24 35 28 Drawer: 61⁄₈"H Front Right Hinge Door Adjustable Shelf (1) 35189 24 35 28 Top Drawer: 61⁄₈"H Front 3 Equal Drawers (1) 35187 24 35 28 Drawer: 61⁄₈"H Front 3 Equal Drawers (1) 35187 24 35 28 Drawer: 61⁄₈"H Front S Equal Drawers (1) 35187 24 35 28 Drawer: 61⁄₈"H Front S Equal Drawers (2) 10868 Overlay Finished Backs Available Separately: (2) 10868 Overlay Finished Backs Available Separately: 35600 Sink Kit 52SL17519AGR	 INCLUDES: W H D W H D
		Stainless Steel Sink 52,35 Strainer 52311 H & C Single Lever Chrome Faucet 10960 59 76 26	Stainless Steel Sink 52J35 Strainer 52311 H & C Single Lever Chrome Faucet 10960 59 76 26
		Demonstration Mirror	Demonstration Mirror




Demonstration Island

SUGGESTED TOP SERIES Series Description	Demonstration Island (Cooking)	Demonstration Island (Cooking)
LS05_27 11/16" High Pressure Laminate with 3mm Edge	W H D	W H D
LS25_27 11/16" High Pressure Chemsurf Laminate	98 36 30	98 36 30
with 3mm Edge PS59_29 11/6* Solid Surface with 3R/3R Profile Edge	GFI Receptacle (field cut and installed) Sink Kit and Mirror Available Separately (see below) Cooktop Not Included	GFI Receptacle (field cut and installed) Sink Kit and Mirror Available Separately (see below) Cooktop Not Included
	35144	35145
	55111	50115
	INCLUDES: W H D (1) 35184 36 35 28 6 ¹ / ₈ "H False Front Doors	INCLUDES: W H D (1) 35186 36 35 28 6 ¹ / ₈ "H False Front Doors
	(1) 35189 24 35 28 Top Drawer: 6½"H Front 3 Equal Drawers	Rollout Shelves Accommodates 30" Cooktop Appliance
	(1) 35186 36 35 28 6½"H False Front	(1) 35189 24 35 28 Top Drawer: 61/8"H Front 3 Equal Drawers
	Doors Rollout Shelves Accommodates 30" Cooktop Appliance	(1) 35184 36 35 28 6½"H False Front Doors
	(2) 10868 Overlay Finished Backs	(2) 10868 Overlay Finished Backs
	Available Separately: 35601 Sink Kit 52DL1829AGR Stainless Steel Sink 52311 H & C Single Lever Chrome Faucet 10960 59 76 26	Available Separately: 35601 Sink Kit 52DL1829AGR Stainless Steel Sink 52J35 Strainer 52311 H & C Single Lever Chrome Faucet 10960 59 76 26
	Demonstration Mirror	Demonstration Mirror 1217


Demonstration Island





Demonstration Island Base

61/8"H drawer fronts align with other noted 61/8"H drawer and false fronts.



Demonstration Island Base

 $61\!/\!s"H$ drawer fronts and false fronts align with other noted $61\!/\!s"H$ drawer and false fronts.





Cooktop		Tray Storage	
W H D 36 32 23 35 24 28 29 6½"H False Front Doors Rollout Shelves	W H D Number of Compartments 5 - 24 2 Drawer: 61/8"H Front Right Hinge Door 1/4" Adjustable and Removable Vertical Dividers	W H D 15 32 23 18 35 24 21 28 24 29 Drawer: 61/8"H Front Left Hinge Door 1/4" Adjustable and Removable Vertical Dividers	
35186	35187	35188	
		Sink Base	
W H D 18 32 23 21 35 24 24 28 29	W H D 18 32 23 21 35 24 24 28 29	W H D 30 32 23 33 35 24 36 28 29	
61∕́в"Н False Front Right Hinge Door	61⁄/в"Н False Front Left Hinge Door	61⁄s"Н False Front Doors	
35182	35183	35184	
	36 32 23 35 24 28 29 6 ¹ / ₈ "H False Front Doors Rollout Shelves 35186 W H D 18 32 23 21 35 24 24 28 29 6 ¹ / ₈ "H False Front Right Hinge Door	\mathbf{W} \mathbf{H} \mathbf{D} 36 32 23 35 24 28 26 26 $6^{1}/8^{*}$ HFalse FrontDouble Selves $\mathbf{S5186}$ 35186 35187 \mathbf{W} \mathbf{H} \mathbf{D} \mathbf{W} \mathbf{H} \mathbf{D} \mathbf{W} \mathbf{H} \mathbf{D} \mathbf{M} \mathbf{H} \mathbf{H} \mathbf{M} \mathbf{H} \mathbf{H} \mathbf{M} \mathbf{H} \mathbf{H} \mathbf{M} <	W 36H 32D 23W H 2H 32D 23W H 15H 32D 236'g'H False Front Doors Rollout ShelvesImage: 6'g'H False Front Doors Rollout ShelvesImage: 6'g'H False Front Removable Vertical DividesImage: 6'g'H False Front DoorsImage: 6'g'H False Front Removable Vertical DividesImage: 6'g'H False Front DoorsImage: 6'g'H False Front DoorsImage

Desk Extension

See Countertop section for available top series.







Series

LS05_27


LS25_27

PS59_29

Desk Extension Base



		Drawer
W H D 15 29 23 18 24 28 29	W H D 30 29 23 36 24 28 29 23 24	W H D 15 29 23 18 24 28 29 29 24
2 Full Extension File Drawers	2 Full Extension Lateral Files Divider for Side Filing of Letter/Legal Files	2 Drawers Full Extension File Drawer
35191	35192	35193
		Storage
W H D 15 29 23 18 24 28 29	W H D 15 29 23 18 24 28 29	W H D 30 29 23 36 24 28 29
Right Hinge Door Adjustable Shelf	Left Hinge Door Adjustable Shelf	Doors Adjustable Shelf
35194	35195	35196
	28 29 2 Full Extension File Drawers 35191 U U U U U U U U U U U U U U U U U U	28 2928 292 Full Extension File Drawers2 Full Extension Lateral Files Divider for Side Filing of Letter/Legal Files3519135192Image: state s



See Design Information section for drawer construction details.

1217

Cooking/Baking


61/8"H false fronts align with other noted 61/8"H drawer and false fronts.



	Microwave Cabinet	Mixing Cabinet	
	W H D 27 30 14 30 36 18 33 36 18	W H D 15 35 24 18 21 24	W H D 15 35 24 18 21 24
	Microwave Cabinet 20"-Deep Attachable Microwave Shelf Accommodates Typical 1 cu.ft 2 cu.ft. Microwave	Left Hinge Door Lift-Up Platform Shelf	Right Hinge Door Lift-Up Platform Shelf
	15149	10484	10483
30	16 1/16"		
36	16 1/16"		ų
	Under-Counter Oven Cabinet	Cooktop Unit	Drop-In-Range Enclosure
	W H D 30 35 24 33 29 36	W H D 36 32 24 42 35 48	W H D 36 32 24 42 35 24
	Finished Ends Open Back 30W/33W: For 27W/30W Oven and 30W Cooktop 36W: For 30W Oven and 36W Cooktop (2) pair removable bottom rails to accommodate standard oven heights, as required (1) pair removable vertical side rails to accommodate standard oven widths, as required	61⁄8"Н False Front Doors Rollout Shelves	Field Cut Front Panel for Appliance
	10482	10486	10485
		1	

Cooking/Baking





Food Storage

61/8"H drawer fronts align with other noted 61/8"H drawer and false fronts.




			Vegetable Storage	
W H D 15 32 24 35	W H D 15 32 24 35	W H D 15 35 24	W H D 15 35 24	
Right Hinge Door 3 Pullout Wire Baskets (85⁄8"W x 41⁄2"H x 191⁄4"D)	Left Hinge Door 3 Pullout Wire Baskets (85⁄s"W x 41⁄2"H x 191⁄4"D)	Drawer: 6½8"H Front Right Hinge Door 3 Pullout Wire Baskets (85%8"W x 4½2"H x 191⁄4"D)	Drawer: 61/8"H Front Left Hinge Door 3 Pullout Wire Baskets (85/8"W x 41/2"H x 191/4"D)	
10456	10457	10458	10459	
	Molded translucent bin SA911: 12 ¹ /4W x 6H x 16 ³ /4			
			Food Staples	
W H D 18 84 24	W H D 18 84 24	W H D 30 84 24 33 36	W H D 42 84 24 45 48	
Right Hinge Door Half-Depth Adjustable Shelves Adjustable Shelves (3) SA911 Bins	Left Hinge Door Half-Depth Adjustable Shelves Adjustable Shelves (3) SA911 Bins	Doors Half-Depth Adjustable Shelves Adjustable Shelves (6) SA911 Bins	Doors Half-Depth Adjustable Shelves Adjustable Shelves (9) SA911 Bins	
25480	25481	25482	25483	

514



Pan/Tray Storage

 $61\!/\!\mathrm{s}"\mathrm{H}$ drawer fronts align with other noted $61\!/\!\mathrm{s}"\mathrm{H}$ drawer and false fronts.



				Tray Storage
	W H D Number of Compartments 4 15 32 18 4 18 35 21 5 21 24 5 24 29	W H D 15 32 18 18 35 21 21 24 29	W H D 15 29 18 18 32 21 21 35 24 24 29	W H D 15 29 18 18 32 21 21 35 24 24 29
1/4"-thick vertical dividers are held securely with translucent, low profile supports.	Drawer: 61/8"H Front Right Hinge Door 1/4" Adjustable and Removable Vertical Dividers	Drawer: 6 ¹ ⁄s"H Front Left Hinge Door 1⁄4" Adjustable and Removable Vertical Dividers	Right Hinge Door 1⁄4" Adjustable and Removable Vertical Dividers	Left Hinge Door 1⁄4" Adjustable and Removable Vertical Dividers
	10659	10658	10665	10666
				514

See Design Information section for drawer construction and rollout shelf details.


Broom/Utility/Pantry Storage




		Broom/Utility Storage	
W H D 18 84 24 21 29 24	W H D 18 84 24 21 29 24	W H D 36 84 24 42 29 48	
Right Hinge Door Center Divider Left: Hooks Right: Adjustable Shelves	Left Hinge Door Center Divider Left: Adjustable Shelves Right: Hooks	Doors Right: Hooks Left: Adjustable Shelves	
25636	25637	25640	
	50 S. 5 ³ 4 ³		
		Pantry	
	WHD		
	W H D 18 84 24 21 24	W H D 18 84 24 21 24	
	Right Hinge Door Half-Depth and Full-Depth Adjustable Shelves Rollout Shelves	Left Hinge Door Half-Depth and Full-Depth Adjustable Shelves Rollout Shelves	
	25488	25489	




Above Refrigerator Storage







Above Refrigerator Storage





through End Panels

Refrigerator

MOUNTING REQUIREMENTS FOR 14D/18D ABOVE REFRIGERATOR CABINETS

MOUNTING REQUIREMENTS FOR 24D ABOVE REFRIGERATOR CABINETS








Recycling/Waste Bin

61/8"H drawer fronts align with other noted 61/8"H drawer and false fronts.




				Recycling/Waste I	3in - Hinge Door
W H D 15 32 24 35	W H D 15 32 24 35	W H D 18 32 24 35	W H D 18 32 24 35	W H D 18 35 24	W H D 18 35 24
Right Hinge Door Pullout Trash Bin (50 qt.)	Left Hinge Door Pullout Trash Bin (50 qt.)	Right Hinge Door 2 Pullout Trash Bins (35 qt. each)	Left Hinge Door 2 Pullout Trash Bins (35 qt. each)	Drawer: 61/8"H Front Right Hinge Door 2 Pullout Trash Bins (35 qt. each)	Drawer: 6 ¹ /8"H Front Left Hinge Door 2 Pullout Trash Bins (35 qt. each)
10688	10689	10690	10691	10692	10693
					1217

See Design Information section for drawer construction details.

Smock/Linen Storage







Towel/Clothing Storage

61/8"H drawer fronts align with other noted 61/8"H drawer and false fronts.









See Design Information section for drawer construction details.

Demonstration Mirror/Accessories








Movable Ceiling Mount **Demonstration Mirror**



Track Length = 96" 12" Adjustment to Accommodate Ceiling Height Ceiling Mounted with 1/2" Threaded Rods (included)

10958



Ceiling Mount Demonstration Mirror

		W	н	D
Minner	47°	- 48	Varies	26
Mirror Frame	58" 71"	- 59		
Fiame	71"	- 72		

12" Adjustment to Accommodate Ceiling Height Ceiling Mounted with 1/2" Threaded Rods (included)

10959




Sliding Towel Bar	Clothing Carrier		Sink Kit
W H D 05 02 18	W H D 02 02 10 12 16	Includes: 52SL17519AGR Custom Single Bowl Stainless Steel Sink	Includes: 52DL1829AGR Custom Double Bowl Stainless Steel Sink
Side Mounts to Cabinet (left or right) 3 Towel Bars Anochrome Finish	20 Mounts Under Closet Shelves Anochrome Finish	52J35 Stainless Steel Strainer 52311 Chrome H & C Single Lever Faucet	52J35 Stainless Steel Strainer 52311 Chrome H & C Single Lever Faucet
10902	10903	35600	35601
		Applicable for: 35103 Prep and Cooking Extension 35123 Food Prep Extension 35140 Demonstration Island 35141 Demonstration Island 35142 Demonstration Island 35143 Demonstration Island See Accessories section for details	Applicable for: 35144 Demonstration Island 35145 Demonstration Island 35146 Demonstration Island 35147 Demonstration Island See Accessories section for details

Demonstration Mirror W Н D 76 26 43" 48 Mirror 54" 59 Frame 67" 72

W = Cabinet Width 76H = Distance from Floor to Mirror Pivot

10960




Sewing Cabinet


Sewing machine not included. Specific machine model number required for platform preparation.



35004 & 35006 SpaceSaver Sewing Cabinets


The 35004 and 35006 SpaceSaver side seating sewing cabinets are designed to maximize efficient use of floor space. Machine orientation is needleleft (adjacent to the side counter). The assist lift mechanism places the sewing platform top flush with the adjacent side counter area. The entire adjacent counter surface can be used to support or provide working space for garments or projects being sewn. The total 45" dimension from the wall to the right edge of the sewing platform minimizes conflict of aisle passage and provides efficient floor space usage.





35000 & 35002 Sewing Cabinets

When front face seating is required, the 35000 and 35002 platform orientation allows for adjacent rear counter space as a convenient surface for garments or projects being sewn. Needle-left position has convenient front feed and platform extension to the left. Assist lift brings the sewing platform top flush with rear counter surface. The front orientation has seating of operator in the aisle area. Though not as spaceefficient as SpaceSaver side seating, the 56" operatorto-wall dimension is a convenient usage of aisle space.



W Н D 27 29 24

Flatbed Machine Locking Doors Needle-Left Orientation Front Seat Position Assist Lift Duplex Receptacle

35000





35002

Sewing Cabinet - Front Seating

W Н D 24

27 29

Free-arm Machine

Front Seat Position

Duplex Receptacle

Needle-Left Orientation

Locking Doors

Assist Lift



Sewing Cabinet

Sewing machine not included.

Specific machine model number required for platform preparation.

Pullout Sewing Cabinet - Side Seating



Free-arm Machine Pullout Sewing Platform Locking Door Needle-Left Orientation Side Seat Position Assist Lift **Duplex Receptacle** Table Extension

35010





W


D





35008 & 35010 **Pullout Sewing Cabinets**

The 35008 and 35010 sewing cabinets are designed for right side operator seating. The cabinet front folds out to provide convenient sewing platform extension to the operator's left. These models provide solutions for both flatbed and free-arm machines with convenient assist lifts. The 67" total extension from the wall when in use requires adequate floor area and aisle clearances.



STEVENS ADVANTAGE[®] furnishings

HOME ARTS – SEWING


Ironing Storage

			Ironing Center
ng Centers	W H D 21 84 24	W H D 21 84 24	W H D 36 84 24
		Left Hinge Door Iron-A-Way Assembly Upper Fixed Shelf Lower Adjustable Shelf GFI Must be securely attached to building structure	Doors Iron-A-Way Assembly Left: Upper Fixed Shelf, Lower Adjustable Shelf, GFI Right: Fixed Shelf, Hanger Bar Must be securely attached to building structure
	25623	25624	25622
Iron-A-Way ironing board stores securely in an upright position and pivots down to a horizontal use position. Nay Assembly ilated Metal Board Storage Compartment Shelf Board Cover and Pad			
out Ironing Board			Ironing Board Storage
W H D 18 35 24	W H D 24 84 24	W H D 24 84 24	W H D 48 84 24
Left Hinge Door Slideout Ironing Board Adjustable Shelf Total Extension from Wall = 60%"	Right Hinge Door 4 Adjustable Shelves Center Divider Full Height Compartment	Left Hinge Door 4 Adjustable Shelves Center Divider Full Height Compartment	Doors 4 Adjustable Shelves 2 Vertical Dividers 2 Full Height Compartments
10626	25627	25628	25629
	board stores securely in an upright position and pivots down to a horizontal use position. Vay Assembly ilated Metal Board Storage Compartment Shelf Board Cover and Pad Dut Ironing Board W H D 18 35 24 Left Hinge Door Slideout Ironing Board Adjustable Shelf Total Extension from Wall = 60%s"	21 84 24 Right Hinge Door Iron-A-Way Assembly Upper Fixed Sheft Lower Adjustable Sheft GFI Must be securely attached to building structure 25623 Torn-A-Way ironing board stores securely in an upright position and pivots down to a horizontal use position. Nay Assembly Lated Metal Board Storage Compartment Shelf board Cover and Pad D 18 35 24 Left Hinge Door Slideout Ironing Board Adjustable Sheft Total Extension from Wall = 603/8 ⁴	21 84 21 84 24 21 84 24 21 84 24 Right Hinge Door Iron-A-Way Assembly Upper Fixed Shelf Lower Adjustable Shelf GFI Must be securely attached to building structure Left Hinge Door Iron-A-Way Assembly Upper Fixed Shelf GFI Must be securely attached to building structure Var Assembly in an upright position and pivots down to a horizontal use position. 25623 25624 Var Assembly lated Metal Board Storage Compartment Shelf soard Cover and Pad V H D Var Loning Board Adjustable Shelf Total Extension from Wall = 60%* W H D 24 84 24

Fitting Platform/Mirror




	_		
Fitting Platform W H D		Wall Mounted 3-Way Mirror	Movable 3-Way Mirror
W H D 20 07 20		W H D 57 60 02	W H D 57 75 22
		3-Way Mirror	3-Way Mirror Dual-Wheel Casters
10627		15700	60700




Armoire





See Design Information section for drawer construction details.





Crafts/Cutting Table See Countertop section for available top series.

SUGGESTED TOP SERIES	Round Crafts/Cutting Table	Square Crafts/Cutting Table
Series Description LS05_27 11/16" High Pressure Laminate	WHD	W H D
PS59_29 11/8" Solid Surface with	42 30 42 34	42 30 42 34
3R/3R Profile Edge WD00S44 13/4" Hardwood (Maple)	48 30 48	48 30 48
	34	34
	Powder Coated 2x2 Steel Tubular Legs	Powder Coated 2x2 Steel Tubular Legs
	Adjustable Leveling Glides	Adjustable Leveling Glides
	Laminate Plycore Frame Rails 34H = ADA Height	Laminate Plycore Frame Rails 34H = ADA Height
	38890	38892
	U	Ŭ,
		I I
		Rectangle Crafts/Cutting Table
W H D 36 60 30 24	W H D 36 60 30 30	W H D 48 66 30 42
42 66 34	42 66 34 36	54 72 34 48
48 72 54	48 72 54	60
Powder Coated 2x2	Powder Coated 2x2	Powder Coated 2x2
Steel Tubular Legs	Steel Tubular Legs	Steel Tubular Legs
Adjustable Leveling Glides Laminate Plycore Frame Rails	Adjustable Leveling Glides Laminate Plycore Frame Rails	Adjustable Leveling Glides Laminate Plycore Frame Rails
34H = ADA Height	34H = ADA Height	34H = ADA Height
38860	20040	38876
56800	38868	50070
	T	
v U v ∣	U II U	
	ų	U
· · · · · · · · · · · · · · · · · · ·		



SUGGESTED TOP SERIES		
Series	Description	
LS05_27	1 ¹ /16" High Pressure Laminate with 3mm Edge	
PS <mark>59</mark> _29	11/8" Solid Surface with 3R/3R Profile Edge	
WD00S44	13/4" Hardwood (Maple)	

For Steel Frame Crafts/Cutting Table and Extension Table combinations, tops provided in one-piece lengths up to maximum of: • 1431/2" High Pressure Laminate • 1191/2" Solid Surface • 1431/2" Hardwood (Maple)

HOME ARTS - SEWING

Steel Frame Crafts/Cutting Table

	Steel Frame Crafts/Cutting Table
W H D 36 30 30 42 34 36 48 54 60 66 72 72	W H D 48 30 42 54 34 48 60 66 72
Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height	Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height
38768	38776
Steel F	rame Crafts/Cutting Extension Table
W H D 35 30 30 41 34 36 47 53 59 65 71 71	W H D 47 30 42 53 34 48 59 65 71
Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height	Powder Coated, Heavy Welded Steel Frame Assembly Bolted 2x2 Tubular Legs Adjustable Leveling Glides 34H = ADA Height
38772	38780