



Commercial Cabinetry and Millwork




Table of Contents

SLOPE HUTCH

Shelf	3
Display	4
Folder	5
Specialty	5
Installation Accessories	6
Design Details	7

©2019 Stevens Industries, Inc.


Due to continuing product development, Stevens reserves the right to change specifications without notice.


Commercial Cabinetry and Millwork





Hutch units are built for stacking on a countertop surface. Actual hutch heights are based on overall total height of elevation with the base and countertop combination used.





Display





	Display			
	W: 15,18,21,24 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 15,18,21,24 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 30,36,42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 30,36,42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24
	Right Hinge Display Door Adjustable Shelves	Left Hinge Display Door Adjustable Shelves	Display Doors Adjustable Shelves	Display Doors Center Divider Adjustable Shelves
	23130	23131	23136	23182
35H 38H 42H 44H				
48н 51н 54н				

	Display	
	W: 30,36,42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 30,36,42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24
	Sliding Display Doors Center Divider Adjustable Shelves	Sliding Glass Doors Center Divider Adjustable Shelves
	23154	23158
35н 38н 42н 44н		
48н 51н 54н		



Folder / Specialty


Hutch units are built for stacking on a countertop surface. Actual hutch heights are based on overall total height of elevation with the base and countertop combination used.

Slope top units require 16816 slope top cover panel for field installation.

Height (H) denotes cabinet box height.

				neigii	t (H) denotes cabinet box neight.
	Folder				
	W: 21,24,30,36 H: 35,38,42,44,48,51,54 D: 14,18,21,24 1/4" Folder Shelves, Adjustable and Removable on 11/4" Centers Compartments 21/4"H min.		W: 30,36,42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24 1/4" Folder Shelves, Adjustable and Removable on 11/4" Centers Compartments 21/4"H min.		W: 42,48 H: 35,38,42,44,48,51,54 D: 14,18,21,24 1/4" Folder Shelves, Adjustable and Removable on 11/4" Centers Compartments 21/4"H min.
	23241		23242		23243
35H: 26 Compts. 38H: 28 Compts. 42H: 32 Compts. 44H: 34 Compts. 48H: 36 Compts. 51H: 38 Compts. 54H: 42 Compts.		35H: 39 Compts. 38H: 42 Compts. 42H: 48 Compts. 44H: 51 Compts. 48H: 54 Compts. 51H: 57 Compts. 54H: 63 Compts.		35H: 52 Compts. 38H: 56 Compts. 42H: 64 Compts. 44H: 68 Compts. 48H: 72 Compts. 51H: 76 Compts. 54H: 84 Compts.	

	Specialty	
	Magazine Shelf	
	W: 24,27,30,33,36,39,42,45,48 H: 48,51,54 D: 14,18,21,24 3 Magazine Shelves	
	02475	
	23165	
48н 51н 54н		



1/4"-thick folder shelves are held securely with translucent, low profile shelf supports. All edges unfinished. Front edge unfinished and shaped.

Installation Accessories

Slope top units require 16816 slope top cover panel for field installation.




Vertical Scribe	Front Filler	Corner Filler	Slope Top Cover Panel
W: 00 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 02,03,06,09,12 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 02,03,06,09,12 H: 35,38,42,44,48,51,54 D: 14,18,21,24	W: 36,48,60,72,84,96 H: 00 D: 14,18,21,24
Field Trim to Fit Actual Thickness=3/4" Actual Depth=3" Edgebanding: One Long Edge in Casebody Trim Color and 0.5mm Thickness	Field Trim to Fit Edgebanding: One Short Edge in Casebody Trim Color and 0.5mm Thickness	Field Trim to Fit Depths (D) Listed are Depths of Cabinets to which Filler is Attached Edgebanding: Two Short Edges in Casebody Trim Color and 0.5mm Thickness	Shipped in Lengths for Field Trimming Order by Cabinet Depth Based on Standard 25° Rise Edgebanding: One Long and Two Short Edges in Casebody Trim Color and 0.5mm Thickness
15802	23803	23805	16816
	Fami	Left Hand Right Hand	

Custom Slope Top End Wedge

Field Cut to Desired Size Provide Height of Rise Desired Edgebanding: None

16817






Design Details

SLOPE TOP

Stevens Advantage slope top units are designed with integral slope ends, eliminating the need for on-the-job fabrication of slope structures. Overlay slope cover panels are shipped with length and end edging for final fit and sizing as installation field conditions may require. Stevens Advantage slope design incorporates a full 3/4" thick slope top on a 25° constant rising slope. Slope top options are available on nominal cabinet depths of 14", 18", 21", and 24". Slope tops not recommended for wall-mounted height above 84", due to possible ceiling interferences. 16816 Slope Top Cover Panels must be specified and ordered separately (not included with cabinet units).



Nominal Unit	Rise	
Depth	inches	mm
14	7	177.9
18	8 3/4	222.6
21	10 3/8	262.8
24	11 1/2	292.8