


Table of Contents

SLOPE VALANCE



Shelf 3-4

Display 5-6

Bookshelf 7

Expanded Metal Door 8

Corner 9

Cubicle 10-11

Forms 11

Mail Cubicle 12

Folder 13

Specialty 14-15

Installation Accessories 16

















Design Details 17

SLOPE VALANCE

Commercial Cabinetry and Millwork



Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

Shelf				
	<p>W: 12,15,18,21,24,27,30,33,36,39,42,45,48 H: 18,25,30,36,42,47 D: 14,18</p> <p>Adjustable Shelves (25H-47H only)</p>	<p>18" HIGH: W: 12,15,18 H: 18 D: 14,18</p> <p>25",30",36",42",47" HIGH: W: 12,15,18,21,24 H: 25,30,36,42,47 D: 14,18</p> <p>Right Hinge Door Adjustable Shelves (25H-47H only)</p>	<p>18" HIGH: W: 12,15,18 H: 18 D: 14,18</p> <p>25",30",36",42",47" HIGH: W: 12,15,18,21,24 H: 25,30,36,42,47 D: 14,18</p> <p>Left Hinge Door Adjustable Shelves (25H-47H only)</p>	<p>18" HIGH: W: 24,27,30,33,36 H: 18 D: 14,18</p> <p>25",30",36",42",47" HIGH: W: 24,27,30,33,36,39,42,45,48 H: 25,30,36,42,47 D: 14,18</p> <p>Doors Adjustable Shelves (25H-47H only)</p>
	18101	18120	18121	18129
18H				
25H 30H				
36H				
42H 47H				

SLOPE VALANCE

Shelf













Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.



	Shelf		
	<p>W: 36,39,42,45,48 H: 18,25,30,36,42,47 D: 14,18</p> <p>Center Divider Adjustable Shelves (25H-47H only)</p>	<p>W: 36,39,42,45,48 H: 25,30,36,42,47 D: 14,18</p> <p>Doors Center Divider Adjustable Shelves</p>	<p>W: 36,39,42,45,48 H: 18,25,30,36,42,47 D: 14,18</p> <p>Sliding Doors Center Divider Adjustable Shelves (25H-47H only)</p>
	18138	18181	18150
18H			
25H 30H			
36H			
42H 47H			

Display

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

	Display			
	<p>W: 15,18,21,24 H: 25,30,36,42,47 D: 14,18</p> <p>Right Hinge Display Door Adjustable Shelves</p>	<p>W: 15,18,21,24 H: 25,30,36,42,47 D: 14,18</p> <p>Left Hinge Display Door Adjustable Shelves</p>	<p>W: 30,36 H: 25,30,36,42,47 D: 14,18</p> <p>Display Doors Adjustable Shelves</p>	<p>W: 30,36,42,48 H: 25,30,36,42,47 D: 14,18</p> <p>Display Doors Center Divider Adjustable Shelves</p>
	18130	18131	18136	18182
25H 30H				
36H				
42H 47H				

SLOPE VALANCE












Display

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.



Display			
	W: 30,36,42,48 H: 25,30,36,42,47 D: 14,18 Sliding Display Doors Center Divider Adjustable Shelves	W: 30,33,36 H: 18,25,30,36,42,47 D: 14,18 Sliding Glass Doors Adjustable Shelves (25H-47H only)	W: 39,42,45,48 H: 18,25,30,36,42,47 D: 14,18 Sliding Glass Doors Center Divider Adjustable Shelves (25H-47H only)
	18154	18156	18158
18H			
25H 30H			
36H			
42H 47H			

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

Bookshelf				
	W: 12,15,18,21,24 H: 30,36,42,47 D: 14,18 Right Hinge Door Open Compartment (11 ¹³ / ₁₆ "H) Adjustable Shelf in Upper Compartment (36H-47H only)	W: 12,15,18,21,24 H: 30,36,42,47 D: 14,18 Left Hinge Door Open Compartment (11 ¹³ / ₁₆ "H) Adjustable Shelf in Upper Compartment (36H-47H only)	W: 30,33,36 H: 30,36,42,47 D: 14,18 Doors Open Compartment (11 ¹³ / ₁₆ "H) Adjustable Shelf in Upper Compartment (36H-47H only)	W: 39,42,45,48 H: 36,42,47 D: 14,18 Doors Center Divider in Open Compartment Open Compartment (11 ¹³ / ₁₆ "H) Adjustable Shelf in Upper Compartment
	18184	18185	18186	18187
30H				
36H				
42H 47H				

SLOPE VALANCE

Expanded Metal Door

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.



Expanded Metal Door

W: 15,18,21,24
H: 25,30,36,42,47
D: 14,18

Right Hinge Framed Expanded Metal Door
Adjustable Shelves
Expanded Metal Available in Black, White, Grey (color linked to accent color option)

W: 15,18,21,24
H: 25,30,36,42,47
D: 14,18

Left Hinge Framed Expanded Metal Door
Adjustable Shelves
Expanded Metal Available in Black, White, Grey (color linked to accent color option)

W: 30,36
H: 25,30,36,42,47
D: 14,18

Framed Expanded Metal Doors
Adjustable Shelves
Expanded Metal Available in Black, White, Grey (color linked to accent color option)

W: 30,36,42,48
H: 25,30,36,42,47
D: 14,18

Framed Expanded Metal Doors
Center Divider
Adjustable Shelves
Expanded Metal Available in Black, White, Grey (color linked to accent color option)



18106

18107



18108

18109



25H
30H

























36H



42H
47H



Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

Corner – Blind						
	14" DEEP: W: 33,36 H: 18,25,30,36,42,47 D: 14	14" DEEP: W: 33,36 H: 18,25,30,36,42,47 D: 14	14" DEEP: W: 33,36 H: 18,25,30,36,42,47 D: 14	14" DEEP: W: 33,36 H: 18,25,30,36,42,47 D: 14	14" DEEP: W: 33,36 H: 25,30,36,42,47 D: 14	14" DEEP: W: 33,36 H: 25,30,36,42,47 D: 14
	18" DEEP: W: 36,39 H: 18,25,30,36,42,47 D: 18	18" DEEP: W: 36,39 H: 18,25,30,36,42,47 D: 18	18" DEEP: W: 36,39 H: 18,25,30,36,42,47 D: 18	18" DEEP: W: 36,39 H: 18,25,30,36,42,47 D: 18	18" DEEP: W: 36,39 H: 25,30,36,42,47 D: 18	18" DEEP: W: 36,39 H: 25,30,36,42,47 D: 18
	Left Hand Open Adjustable Shelves (25H-47H only)	Right Hand Open Adjustable Shelves (25H-47H only)	Right Hinge Door Adjustable Shelves (25H-47H only)	Left Hinge Door Adjustable Shelves (25H-47H only)	Right Hinge Display Door Adjustable Shelves	Left Hinge Display Door Adjustable Shelves
	18198	18199	18200	18201	18202	18203
18H						
25H 30H						
36H						
42H 47H						

SLOPE VALANCE

Cubicle











Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.



Cubicle						
Compt. Widths 18W = 7 7/8" 21W = 9 3/8" 24W = 10 7/8"	W: 18,21,24 H: 25,30,36,42,47 D: 14,18 3/4" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	W: 18,21,24 H: 25,30,36,42,47 D: 14,18 Right Hinge Door 3/4" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	W: 18,21,24 H: 25,30,36,42,47 D: 14,18 Left Hinge Door 3/4" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	Compt. Widths 30W = 9" 36W = 11" 42W = 13" 48W = 15"	W: 30,36,42,48 H: 25,30,36,42,47 D: 14,18 3/4" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	W: 30,36,42,48 H: 25,30,36,42,47 D: 14,18 Doors 3/4" Adjustable Cubicle Shelves Compartment Spacing 3"H min.
	18220	18222	18223		18226	18227
	25H 30H 6 Compts.					25H 30H 9 Compts.
36H 8 Compts.				36H 12 Compts.		
42H 47H 10 Compts.				42H 47H 15 Compts.		

Cubicle / Forms

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

Cubicle		Forms			
Compt. Widths 36W = 8" 42W = 9½" 48W = 11"	W: 36,42,48 H: 25,30,36,42,47 D: 14,18 ¾" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	W: 36,42,48 H: 25,30,36,42,47 D: 14,18 Doors ¾" Adjustable Cubicle Shelves Compartment Spacing 3"H min.	Compt. Widths 30W = 9" 36W = 11" 42W = 13" 48W = 15"	W: 30,36,42,48 H: 30,36,42,47 D: 14,18 Upper Doors Adjustable Shelf in Upper Compartment (36H-47H only) ¾" Adjustable, Equally Spaced Cubicle Shelves Compartment Spacing 3"H min.	
18239		18240		18256	
25H 30H 12 Compts.			30H 12 Compts.		
36H 16 Compts.			36H 12 Compts.		
42H 47H 20 Compts.			42H 12 Compts.		
			47H 12 Compts.		

SLOPE VALANCE

Mail Cubicle

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.



Mail Cubicle

Open, One Face

Compt. Widths
21W = 9³/₈"
24W = 10⁷/₈"
30W = 13⁷/₈"
36W = 16⁷/₈"

W: 21,24,30,36
H: 25,30,36,42,47
D: 14,18

Open, One Face
3/4" Adjustable, Equally Spaced
Cubicle Shelves
Compartment Spacing 3"H min.

Compt. Widths
30W = 9"
36W = 11"
42W = 13"
48W = 15"

W: 30,36,42,48
H: 25,30,36,42,47
D: 14,18

Open, One Face
3/4" Adjustable, Equally Spaced
Cubicle Shelves
Compartment Spacing 3"H min.


Compt. Widths
42W = 9¹/₂"
48W = 11"

W: 42,48
H: 25,30,36,42,47
D: 14,18


Open, One Face
3/4" Adjustable, Equally Spaced
Cubicle Shelves
Compartment Spacing 3"H min.

18250


25H
10 Compts.




30H
14 Compts.



36H
16 Compts.



42H
20 Compts.




47H
22 Compts.




18251


25H
15 Compts.



30H
21 Compts.



36H
24 Compts.



42H
30 Compts.




47H
33 Compts.




18252


25H
20 Compts.




30H
28 Compts.




36H
32 Compts.




42H
40 Compts.



47H
44 Compts.


















Folder



1/4"-thick folder shelves are held securely with translucent, low profile shelf supports. All edges unfinished. Front edge unfinished and shaped.

Slope top units require 16816 slope top cover panel for field installation. Height (H) denotes cabinet box height.

Folder		Folder		Folder	
W: 21,24,30,36	H: 25,30,36,42,47	D: 14,18	W: 30,36,42,48	H: 25,30,36,42,47	D: 14,18
1/4" Folder Shelves, Adjustable and Removable on 1 1/4" Centers Compartments 2 1/4"H min.			1/4" Folder Shelves, Adjustable and Removable on 1 1/4" Centers Compartments 2 1/4"H min.		
18241		18242		18243	
25H 16 Compts.		25H 24 Compts.		25H 32 Compts.	
30H 20 Compts.		30H 30 Compts.		30H 40 Compts.	
36H 26 Compts.		36H 39 Compts.		36H 52 Compts.	
42H 30 Compts.		42H 45 Compts.		42H 60 Compts.	
47H 34 Compts.		47H 51 Compts.		47H 68 Compts.	

SLOPE VALANCE



Specialty















Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.

	Specialty
	Microwave
	<p>W: 27,30,33,36 H: 36 D: 14,18</p> <p>20"-Deep Attachable Microwave Shelf Accommodates Typical 1 cu.ft. - 2 cu.ft. Microwave</p>
	18149
36H	

The narcotics locker and cabinet door locks are keyed differently and require separate keys.
Both doors to be keyed differently from all other cabinets.

	Specialty		
	Narcotics Locker		
	<p>W: 18,21,24 H: 25,30,36 D: 14,18</p> <p>Locked Right Hinge Door Locked Steel Narcotics Locker Fixed Shelf Adjustable Shelf (36H only)</p>	<p>W: 18,21,24 H: 25,30,36 D: 14,18</p> <p>Locked Left Hinge Door Locked Steel Narcotics Locker Fixed Shelf Adjustable Shelf (36H only)</p>	<p>W: 30,36,39,42,45,48 H: 25,30,36 D: 14,18</p> <p>Locked Doors Locked Steel Narcotics Locker Fixed Shelf Adjustable Shelf (36H only)</p>
	18290	18291	18294
25H 30H			
36H			

Slope top units require 16816 slope top cover panel for field installation.
Height (H) denotes cabinet box height.




Specialty						
Dispensing – Towel/Cup			Dispensing – Towel/Cup/Glove/Tissue			
	W: 18,21,24 H: 25,30,36 D: 14,18 Right Hinge Door Towel/Cup Dispenser Adjustable Shelves	W: 18,21,24 H: 25,30,36 D: 14,18 Left Hinge Door Towel/Cup Dispenser Adjustable Shelves	W: 27,30,33,36,39, 42,45,48 H: 25,30,36 D: 14,18 Doors Towel/Cup Dispenser Adjustable Shelves	W: 18,21,24 H: 25,30,36 D: 14,18 Right Hinge Door Towel/Cup and Glove/Tissue Dispensers Adjustable Shelf (36H only)	W: 18,21,24 H: 25,30,36 D: 14,18 Left Hinge Door Towel/Cup and Glove/Tissue Dispensers Adjustable Shelf (36H only)	W: 36,39,42,45,48 H: 25,30,36 D: 14,18 Doors Towel/Cup and Glove/Tissue Dispensers Adjustable Shelf (36H only)
	18122	18123	18126	18124	18125	18127
25H 30H						
36H						
	 <p>TOWEL/CUP DISPENSER Bottom-access dispensing of paper towels and 5 oz. cups.</p>			 <p>GLOVE/TISSUE DISPENSER Face-of-door access for gloves or tissues.</p>		




SLOPE VALANCE

Installation Accessories

Slope top units require 16816 slope top cover panel for field installation.





Vertical Scribe	Valance Rail	Front Filler
<p>W: 00 H: 18,25,30,36,42,47 D: 14,18</p> <p>Field Trim to Fit Actual Thickness=3/4" Actual Depth=3" Edgebanding: One Long Edge in Casebody Trim Color and 0.5mm Thickness</p>	<p>W: 48,96 H: 03 D: 00</p> <p>Field Trim to Fit Edgebanding: One Long Edge in Casebody Trim Color and Thickness</p>	<p>W: 02,03,06,09,12 H: 18,25,30,36,42,47 D: 14,18</p> <p>Field Trim to Fit Includes Bottom Closure Panel Edgebanding: One Short Edge in Casebody Trim Color and 0.5mm Thickness</p>
15802	15812	16803
		

Corner Filler/Closure	Slope Top Cover Panel	Custom Slope Top End Wedge
<p>W: 02,03,06,09,12 H: 18,25,30,36,42,47 D: 14,18</p> <p>Field Trim to Fit Depths (D) Listed are Depths of Cabinets to which Filler/Closure is Attached Each Filler Includes Bottom Closure Panel (shown below with Left Hand Filler) Edgebanding (Corner Filler): Two Short Edges in Casebody Trim Color and 0.5mm Thickness Edgebanding: (Closure): None</p>	<p>W: 36,48,60,72,84,96 H: 00 D: 14,18</p> <p>Shipped in Lengths for Field Trimming Order by Cabinet Depth Based on Standard 25° Rise Edgebanding: One Long and Two Short Edges in Casebody Trim Color and 0.5mm Thickness</p>	<p>Field Cut to Desired Size Provide Height of Rise Required Edgebanding: None</p>
16805	16816	16817
		

VALANCE


Stevens Advantage valance, slope valance and valance with attached soffit units are designed to allow continuous valance aprons under wall units. A finished end/drop left or drop right indication lowers the designated end panel to align with the valance rail. Field cutting of intermediate sides is not required to install under-cabinet valance lighting. Return corners are not required upon installation.



Because cabinet bottom is set up in relation to door bottom edge, exposed hinges will not align with conventional cabinet hinge locations. Pulls and locks will not align with conventional pull and lock locations.

SLOPE TOP

Stevens Advantage slope top units are designed with integral slope ends, eliminating the need for on-the-job fabrication of slope structures. Overlay slope cover panels are shipped with length and end edging for final fit and sizing as installation field conditions may require. Stevens Advantage slope design incorporates a full 3/4" thick slope top on a 25° constant rising slope. Slope top options are available on nominal cabinet depths of 14" and 18". Slope tops not recommended for wall-mounted height above 84", due to possible ceiling interferences. 16816 Slope Top Cover Panels must be specified and ordered separately (not included with cabinet units).



Nominal Unit Depth	Rise	
	inches	mm
14	7	177.9
18	8 3/4	222.6